KISII COUNTY GOVERNMENT MINISTRY OF HEALTH

Telephone: 058-30005 Email: info!@kisii.go.ke Fax: 058-30208



County Health Services P.O. Box 92 – 40200 KISII

KISII TEACHING & REFERRAL HOSPITAL P.O BOX 92 KISII

SUPPLY AND DELIVERY OF ORTHOPEDIC/SURGICAL IN-PLANT

TENDER NO <u>KTRH/20/2023-2025</u>

ALL TENDERERS ARE ADVISED TO READ CAREFULLY THIS TENDER DOCUMENT IN ITS ENTIRETY BEFORE MAKING BID.

TENDER ADVERTISEMENT DATE:

TENDER CLOSING DATE & TIME:

WEDNESDAY 3RD MAY, 2023

WEDNESDAY 17TH MAY 2023, 10:00 A.M

TABLE OF CONTENTS

PRE	PREFACE				
INV	/ITATIONTOAPPLYFORPRE-QUALIFICATION				
PAR	RT1-APPLICATIONPROCEDURES	4			
Sect	tion I - Instructions to Applicants (ITA)	7			
A.	General	7			
1.	Scope of Application	7			
2.	Source of Funds	7			
3.	Fraud and Corruption	7			
4	Collusive practices	7			
5.	Eligible Applicants	7			
6.	Eligibility				
B.	Pre-qualification Documents				
7.	Sections of Pre-qualification Document	9			
PAR	RT 1 -Pre-qualification Procedures	9			
i)	Section I - Instructions to Applicants (ITA)	9			
ii)	Section II - Pre-qualification Data Sheet (PDS)	9			
iii)	Section III - Qualification Criteria and Requirements	9			
iv)	Section IV - Application Forms	9			
Sect 8. 9.	tion VII – Scope Works, Goods or Non-Consulting Services Requirements Clarification of Pre-qualification Document and Pre-Application Meeting Amendment of Pre-qualification Document	9			
C.	Preparation of Applications.				
10.	Cost of Applications				
11.	Language of Application				
12.	Documents Comprising the Application				
13.	Application Submission Letter				
14.	Documents Establishing the Eligibility of the Applicant				
15.	Documents Establishing the Qualifications of the Applicant				
16.	Signing of the Application and Number of Copies				
D.	Submission of Applications				
17.	Sealing and Marking of Applications				
18.	Deadline for Submission of Applications				
19.	Late Applications				
20.	Opening of Applications				
E.	Procedures for Evaluation of Applications				
21.	Confidentiality				
22.	Clarification of Applications				
23.	Responsiveness of Applications				
24.	Margin of Preference				

25.	Nominated Subcontractors	
F.	Evaluation of Applications and Pre-qualification of Applicants	
26.	Evaluation of Applications	
27.	Procuring Entity's Right to Accept or Reject Applications	
28.	Pre-qualification of Applicants	
29.	Notification of Pre-qualification	
30.	Invitation to Tender	
31.	Changes in Qualifications of Applicants	
32.	Procurement Related Complaint	15
Sect	tion II - Pre-qualification Data Sheet (PDS)	
Sect	tion III- Qualification Criteria and Requirements	
Sect	tion IV –Application Forms	22
1.	Form 2 - Application Submission Letter	22
2.	Form 3 - Confidential Business Questionnaire	24
3.	Form 4 - Litigation History	25
4.	Form 5 - Sworn Affidavit	
5.	Form 6 - Financial Situation and Performance	
6.	Form 7 - Sources of Finances	
7.	Form 8 - Average Annual Construction or Supply Contracts Turnover	
8.	Form 9 - Past Experience Names of At least Three Clients	
9.	Financial Evaluation.	
Sect	tion V - Scope of works, goods or Non-Consulting Services	32
1.	Description of the works, goods or Non-Consulting Services contract	

KISII COUNTY GOVERNMENT MINISTRY OF HEALTH THE KISII TEACHING AND REFERRAL HOSPITAL

Email: kisiihospital@gmail.com Fax: 058-30208



Chief Executive Officer The Kisii Teaching & Referral Hospital P.O. Box 92 – 40200 Kisii, Kenva.

3rd May, 2023

TENDER NOTICE

The Kisii Teaching and Referral Hospital & County Health Services wishes to invite eligible suppliers to bid for the supply of goods, works and services as and when required for the financial years 2023 - 2025 as follows:

CATEGORY A:

AILG	UKI A.		
NO.	TENDER NO	TENDER NAME	ELIGIBITY
1.	KTRH/1/2023-2025	Supply and delivery of medical drugs	Open
2.	KTRH/2/2023-2025	Supply and delivery of non-pharmaceuticals and	Open
		dressing	
3.	KTRH/3/2023-2025	Supply and delivery of laboratory reagents	Open
4.	KTRH/4/2023-2025	Supply and delivery of dental materials and	Open
		consumables	
5.	KTRH/5/2023-2025	Supply and delivery of x-ray materials and renal	Open
		consumables	
6.	KTRH/6/2023-2025	Supply and delivery of office consumables and	Reserved
		refreshments	
7.	KTRH/7/2023-2025	Printing, supply and delivery of medical records	Open
8.	KTRH/8/2023-2025	Supply and delivery of general office stationery	Reserved
9.	KTRH/9/2023-2025	Supply and delivery of hospital linen, uniforms,	Open
		curtains, beddings and materials	
10.	KTRH/10/2023-2025	Supply and delivery of petroleum products and	Open
		domestic cooking gas	
	KTRH/11/2023-2025	Supply and delivery of wood fuel and charcoal	Open
12.	KTRH/12/2023-2025	Supply and delivery of cleansing materials, reagents	Open
		,disinfectants and detergents	
13.	KTRH/13/2023-2025	Supply and delivery of hardware, plumbing and	Open
		building materials	
	KTRH/14/2023-2025	Supply and delivery of electrical items	Open
15.	KTRH/15/2023-2025	Supply and delivery of dry food ration	Open
16.	KTRH/16/2023-2025	Supply and delivery of meat, chicken eggs, milk and	Open
		related products	
17.	KTRH/17/2023-2025	Supply and delivery of fruits, vegetables and related	Reserved
		products	
18.	KTRH/18/2023-2025	Supply and delivery of newspapers , journals ,	Reserved
		magazines and calling cards	
19.	KTRH/21/2023-2025	Supply and delivery of nutritional supplements and	Open
		feeds	
20.	KTRH/22/2023-2025	Supply and delivery of Orthopedic/Surgical In-plants	Open

CATEGORY B:

Ν	PREQ NO.	PREQUALIFICATION NAME	ELIGIBILITY
0			
1.	KTRH/PQ/1/2023-2025	Supply and delivery of medical, dental equipment's	Open
		and instruments	

s Reserved other office Open
other office Open
ters, office Open
Open
ring works Open
' services Open
yres, tubes, Reserved
cts Open
ks/concrete Open
s
Open
es & motor Open
-
ry and cold Open
of medical Open
_
Open
conference Open
Open

CATEGORY C:

No.	Negotiation	Tender Name	Mandatory	Eligibity
	No		Site Visit	
1.	1250895- 2022/2023	Provision of General Cleaning Services, Gardening & Landscaping and Provision of Pest Control Services	9 th May, 2023	Duly Registered Persons Living with Disability only (PWD's)

The tender document containing detailed information on the tenders can freely be downloaded from the Kisii Teaching and Referral Hospital website: <u>www.ktrh.or.ke</u> and IFMIS Portal: <u>supplier.treasury.go.ke</u> for **CATEGORY C**

Bidders who have downloaded the document from the website must forward their particulars immediately for recording and further clarification and addenda to: <u>ktrh.procurement@kisii.go.ke</u>

Complete tender document for **CATEGORY C** must be submitted through the IFMIS supplier portal: <u>supplier.treasury.go.ke</u> as per the requirements contained in the document so as to be received on or before **Wednesday**, 17th May, 2023 at 10.00 AM in the IFMIS portal.

CATEGORY A and B must be submitted MANUALLY as per the requirements contained in the document to the tender box situated outside the Hospital Administration block so as to be received on or before Wednesday, 17th May, 2023 at 10.00 AM

SUPPLY CHAIN MANAGEMENT SERVICES FOR: CHIEF EXECUTIVE OFFICER – KTRH <u>KISII COUNTY GOVERNMENT</u>.

SECTION I - INSTRUCTIONS TO APPLICANTS (ITA)

A. General

1. Scope of Application

- 1.1 The name of the Procuring Entity inviting for applications is defined in the **PDS**. The particular type of contract (works, goods or Non-Consulting Services required) and its name and description of the contract(s) and its reference number are defined in the **PDS**. If the scope of contract so defined is in multiple contracts, it will be specified in the **PDS** if prequalification will be based on individual contracts or multiple contracts. The Full scope of Works or Goods or Non-Consulting Services are described in Section V (Scope of Works or goods contract).
- 2 Source of Funds to be specified in the PDS, if deemed necessary.

3 Fraud and Corruption

- 3.1 The Government of Kenya requires compliance with its Anti-Corruption laws and its prevailing sanctions policies and procedures.
- 3.2 In further pursuance of this policy, Applicants shall permit and shall cause their agents (where declared or not), subcontractors, sub consultants, service providers, suppliers, and their personnel, to permit the Public Procurement Regulatory Authority (PPRA) to inspect all accounts, records and other documents relating to any initial selection process, prequalification process, tender submission(incase prequalified), proposal submission, and contract performance (in the case of award), and to have them audited by auditors appointed by the PPRA.

4 Collusive practices

4.1 The Procuring Entity requires compliance with the provisions of the Competition Act 2010, regarding collusive practices in contracting. Any applicant found to have engaged in collusive conduct shall be disqualified and criminal and/or civil sanctions may be imposed. To this effect, applicants shall be required to complete and sign a Certificate of Independent Tender Determination" annexed to the Form of applicant.

5 Eligible Applicants

- 5.1 Applicants shall meet the eligibility criteria as per this ITA and ITA 5.1 and 5.2. An Applicant may be a firm that is a private entity, a state-owned enterprise or institution subject to ITA 5.9 or any combination of such entities in the form of a joint venture ("JV") under an existing agreement or with the intent to enter into such an agreement supported by a letter of intent. In the case of a joint venture, all members shall be jointly and severally liable for the execution of the entire Contract in accordance with the Contract terms. The JV shall nominate a Representative who shall have the authority to conduct all business for and on behalf of any and all the members of the JV during the prequalification process, tendering (in the event the JV submits a Tender) and during contract execution (in the event the JV is awarded the Contract). Members of a joint venture may not also make an individual tender, be a subcontractor in a separate tender or be part of another joint venture for the purposes of the same Tender. The maximum number of JV members shall be specified in the PDS.
- 5.2 Public Officers of the Procuring Entity, their Spouses, Child, Parent, Brothers or Sister. Child, Parent, Brother or Sister of a Spouse, their business associates or agents and firms/organizations in which they have a substantial or controlling interest shall not be eligible to be prequalified. Public Officers with such relatives are also not allowed to participate in any procurement proceedings.
- 5.3 A firm may apply for prequalification both individually, and as part of a joint venture, or participate as a subcontractor. If prequalified, it will not be permitted to tender for the same contract both as an individual firm and as a part of the joint venture or as a subcontractor. However, a firm may participate as a subcontractor in more than one Tender, but only in that capacity. Tenders submitted in violation of this procedure will be rejected.

- 5.4 A firm and any of its affiliates (that directly or indirectly control, are controlled by or are under common control with that firm) may submit its application for prequalification either individually, as joint venture or as a subcontractor among them for the same contract. However, if prequalified, only one prequalified Applicant will be allowed to tender for the. All Tenders submitted in violation of this procedure will be rejected.
- 5.5 An Applicant may have the nationality of any country, subject to the restrictions pursuant to ITA 5.1 and 5.2. An Applicant shall be deemed to have the nationality of a country if the Applicant is constituted, incorporated or registered in and operates in conformity with the provisions of the laws of that country, as evidenced by its articles of incorporation (or equivalent documents of constitution or association) and its registration documents, as the case may be. sub-contractors or suppliers for any part of the Contract including related Non-Consulting Services.
- 5.6 Applicants shall not have a conflict of interest. Applicants shall be considered to have a conflict of interest, if they, or any of their affiliates, participated as a consultant in the preparation of the design or technical specifications or have been hired or proposed to be hired by the Procuring Entity as Engineer for contract implementation of the contract(s) that are the subject of this prequalification. In addition, Applicants may be considered to have a conflict of interest if they have a close business or family relationship with a professional staff of the Procuring Entity who:
 - a are directly or indirectly involved in the preparation of the prequalification Document or Invitation to Tender (ITT), Document or specifications of the Contract, and/or the Tender evaluation process of such Contract; or
 - b would be involved in the implementation or supervision of such Contract, unless the conflict stemming from such relationship has been resolved in a manner acceptable to the Procuring Entity throughout the prequalification, ITT process and execution of the Contract.
- 5.7 An Applicant that has been debarred shall be ineligible to be initially selected for, prequalified for, tender for, propose for, or be awarded a contract during such period of time as the PPRA shall have determined. The list of debarred firms and individuals is available at www.ppra.go.ke
- 5.8 Applicants that are state-owned enterprise or institutions in Kenya may be eligible to prequalify, compete and be awarded a Contract(s) only if they can establish, in a manner accept able to the Procuring Entity, that they (i) are legally and financially autonomous (ii) operate under commercial law, and (iii) are not under supervision of any public entity.
- 5.9 An Applicant shall not be under sanction of debarment from Tendering by the PPRA as the result of the execution of a Tender/Proposal–Securing Declaration.
- 5.10 An Applicant that is a Kenyan firm or citizen shall provide evidence of having fulfilled his/her tax obligations by producing a current tax clearance certificate or tax exemption certificate issued by the Kenya Revenue Authority.
- 5.11 An Applicant shall provide any other such documentary evidence of eligibility satisfactory to the Procuring Entity, as the Procuring Entity shall reasonably request.

6 Eligibility

- 6.1 Firms and individuals may be ineligible if they are nationals of ineligible countries as indicated herein. The countries, persons or entities are in eligible if:
 - a. As a matter of law or official regulations, Kenya prohibits commercial relations with that country, or
 - b. By an act of compliance with a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations, Kenya prohibits any import of goods or contracting of works or Non- Consulting Services from that country, or any payments to any country, person, or entity in that country.

- 6.2 When the Works, supply of Goods or provision of non-consulting services are implemented a cross jurisdictional boundary (and more than one country is a Procuring Entity, and is involved in the procurement), then exclusion of a firm or individual on the basis of ITA 5.1 (a) above by any country may be applied to that procurement a cross other countries involved, if the Procuring Entities involved in the procurement so agree.
- 6.3 Any goods, works and production processes with characteristics that have been declared by the relevant national environmental protection agency or by other competent authority as harmful to human beings and to the environment shall not be eligible for procurement.

B. Contents of the Prequalification Documents

7 Sections of Prequalification Document

7.1 This Prequalification Document consists of parts1 and 2 which comprise all the sections indicated below, and which should be read in conjunction with any Addendum issued in accordance with IT A8.

PART 1 - Prequalification Procedures

- i) Section I- Instructions to Applicants (ITA)
- ii) Section II Prequalification Data Sheet (PDS)
- iii) Section III Qualification Criteria and Requirements
- iv) Section IV- Application Forms

PART 2 - Works, Goods, or Non-Consulting Services Requirements

- i) Section VII- Scope of Works, Goods, or Non-Consulting Services
- 7.2 Unless obtained directly from the Procuring Entity, the Procuring Entity accepts no responsibility for the completeness of the document, responses to requests for clarification, the minutes of the pre-Application meeting (if any), or Addenda to the Prequalification Document in accordance with ITA 8. In case of any discrepancies, documents issued directly by the Procuring Entity shall prevail.
- 7.3 The Applicant is expected to examine all instructions, forms, and terms in the Prequalification Document and to furnish with its Application all information or documentation as is required by the Prequalification Document.

8 Clarification of Prequalification Documents, site visit(s) and Pre-Application Meeting

- 8.1 An Applicant requiring any clarification of the Prequalification Document shall contact the Procuring Entity in writing at the Procuring Entity's address indicated in the **PDS**. The Procuring Entity will respond in writing to any request for clarification provided that such request is received no later than fourteen (14) days prior to the deadline for submission of the applications. The Procuring Entity shall forward a copy of its response to all prospective Applicants who have obtained the Prequalification Document directly from the Procuring Entity, including a description of the inquiry but without identifying its source. If so indicated in the **PDS**, the Procuring Entity deem it necessary to amend the Prequalification Document as a result of a clarification, it shall do so following the procedure under ITA 8. And in accordance with the provisions of ITA 17.2.
- 8.2 The Applicant, at the Applicant's own responsibility and risk, is encouraged to visit and examine and inspect the Site of the required contracts and obtain all information that may be necessary for preparing the application. The costs of visiting the Site shall be at the Applicant's own expense. The Procuring Entity shall specify in the **PDS** if a pre-application meeting will be held, when and where. The Procuring Entity shall also specify in the **PDS** if a pre-arranged Site visit will be held and when. The Applicant's designated representative is invited to attend a pre- application meeting and a pre-arranged site visit. The purpose of the meetings will be to clarify issues and to answer questions on any matter that may be raised at that stage.
- 8.3 The Applicant is requested to submit any questions in writing, to reach the Procuring Entity not later than the period specified in the **PDS** before the submission date of applications.

- 8.4 Minutes of a pre-arranged site visit and those of the pre-application meeting, if applicable, including the text of the questions asked by Applicants and the responses given, together with any responses prepared after the meeting, will be transmitted promptly to all Applicants who have acquired the prequalification documents. Minutes shall not identify the source of the questions asked.
- 8.5 The Procuring Entity shall also promptly publish anonymized (*no names*) Minutes of the pre-arranged site visit and those of the pre-proposal meeting at the web page identified **in the PDS**. Any modification to the Prequalification Documents that may become necessary as a result of the pre-arranged site visit and those of the pre-application meeting shall be made by the Procuring Entity exclusively through the issue of an Addendum pursuant to PDS 8 and not through the minutes of the pre-application meeting. Non-attendance at the pre-arranged site visit and the pre-tender meeting will not be a cause for disqualification of a Tenderer.

9 Amendment of Prequalification Document

- 9.1 At any time prior to the deadline for submission of Applications, the Procuring Entity may amend the Prequalification Document by issuing an Addendum.
- 9.2 Any Addendum issued shall be part of the Prequalification Document and shall be communicated in writing to all Applicants who have obtained the Prequalification Document from the Procuring Entity. The Procuring Entity shall promptly publish the Addendum at the Procuring Entity's webpage identified in the PDS.
- 9.3 To give Applicants reasonable time to take an Addendum into account in preparing their Applications, the Procuring Entity may, at its discretion, extend the deadline for the submission of Applications in accordance with ITA 17.2.

C. Preparation of Applications

10 Cost of Applications

10.1 The Applicant shall bear all costs associated with the preparation and submission of its Application. The Procuring Entity will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the prequalification process.

11 Language of Application

11.1 The Application as well as all correspondence and documents relating to the prequalification exchanged by the Applicant and the Procuring Entity, shall be written in English Language. Supporting documents and printed literature that are part of the Application may be in another language, provided they are accompanied by an accurate translation of the relevant passages in the English language, in which case, for purposes of interpretation of the Application shall govern.

12 Documents Comprising the Application

- 12.1 The Application shall comprise the following:
 - a. Application Submission Letter, in accordance with ITA 13.1;
 - b. Eligibility: documentary evidence establishing the Applicant's eligibility, in accordance with ITA 14.1;
 - c. Qualifications: documentary evidence establishing the Applicant's qualifications, in accordance with ITA 15; and
 - d. Any other document required as specified in the PDS.
- 12.2 The Applicant shall furnish information on commissions and gratuities, if any, paid or to be paid to agents or any other party relating to this Application.

13 Application Submission Letter

13.1 The Applicant shall complete an Application Submission Letter as provided in Section IV (Application Forms). This Letter must be completed without any alteration to its format.

14 Documents Establishing the Eligibility of the Applicant

14.1 To establish its eligibility in accordance with ITA 4, the Applicant shall complete the eligibility declarations in the Application Submission Letter and Forms ELI (eligibility) 1.1 and 1.2, included in Section IV (Application Forms).

15 Documents Establishing the Qualifications of the Applicant

- 15.1 To establish its qualifications to perform the contract(s) in accordance with Section III, Qualification Criteria and Requirements, the Applicant shall provide the information requested in the corresponding Information Sheets included in Section IV (Application Forms).
- 15.2 Wherever an Application Form requires an Applicant to state a monetary amount, Applicants should indicate the Kenya Shilling equivalent using the rate of exchange determined as follows:
 - a For construction turnover or financial data required for each Year-Exchange rate prevailing on the last day of the respective calendar year (in which the amounts for that year is to be converted).
 - b Value of single Contract-Exchange rate prevailing on the date of the contract.
- 15.3 Exchange rates shall be taken from the publicly available source identified in the PDS. Any error in determining the exchange rates in the Application may be corrected by the Procuring Entity.
- 15.4 Applicants shall be asked to provide, as part of the data for qualification, such information, including details of ownership, as shall be required to determine whether, according to the classification established by the Procuring Entity, <u>a particular contractor or group of contractors</u> qualifies for a margin of preference. Further the information will enable the Procuring Entity identify any actual or potential conflict of interest in relation to the procurement and/or contract management processes, or a possibility of collusion between Applicants, and thereby help to prevent any corrupt influence in relation to the procurement processor contract management.
- 15.5 The purpose of the information described in ITT 6.2 above overrides any claims to confidentiality which an Applicant may have. There can be no circumstances in which it would be justified for an Applicant to keep information relating to its ownership and control confidential where it is tendering to undertake public sector work and receive public sector funds. Thus, confidentiality will not be accepted by the Procuring Entity as a justification for an Applicant's failure to disclose, or failure to provide required in formation on its ownership and control.
- 15.6 The Applicant shall provide further documentary proof, information or authorizations that the Procuring Entity may request in relation to ownership and control which information on any changes to the information which was provided by the Applicant under ITT 6.3. The obligations to require this information shall continue for the duration of the procurement process and contract performance and after completion of the contract, if any change to the information previously provided may reveal a conflict of interest in relation to the award or management of the contract.
- 15.7 All information provided by the Applicant pursuant to these requirements must be complete, current and accurate as at the date of provision to the Procuring Entity. In submitting the information required pursuant to these requirements, the Applicant shall warrant that the information submitted is complete, current and accurate as at the date of submission to the Procuring Entity.
- 15.8 If an Applicant fails to submit the information required by these requirements, its application will be rejected. Similarly, if the Procuring Entity is unable, after taking reasonable steps, to verify to a reasonable degree the information submitted by an Applicant pursuant to these requirements, then the application will be rejected.

- 15.9 If information submitted by an Applicant pursuant to these requirements, or obtained by the Procuring Entity (whether through its own enquiries, through notification by the public or otherwise), shows any conflict of interest which could materially and improperly benefit the Applicant in relation to the procurement or contract management process, then:
 - a. If the procurement process is still ongoing, the Applicant will be disqualified from the procurement process,
 - b. If the contract has been awarded to that Applicant, the contract award will be set aside,
- 15.10 the Applicant will be referred to the relevant law enforcement authorities for investigation of whether the Applicant or any other persons have committed any criminal offence.
- 15.11 If an Applicant submits information pursuant to these requirements that is incomplete, in accurate or out-ofdate, or attempts to obstruct the verification process, then the consequences ITT 6.7 will ensue unless the Applicant can show to the reasonable satisfaction of the Procuring Entity that any such act was not material, or was due to genuine error which was not attributable to the intentional act, negligence or recklessness of the Applicant.

16 Signing of the Application and Number of Copies

- 16.1 The Applicant shall prepare one original of the documents comprising the Application as describedinITA11 and clearly mark it "ORIGINAL". The original of the Application shall be typed or written in indelible ink and shall be signed by a person duly authorized to sign on behalf of the Applicant. In case the Applicant is a JV, the Application shall be signed by an authorized representative of the JV on behalf of the JV and so as to be legally binding on all the members as evidenced by a power of attorney signed by their legally authorized signatories.
- 16.2 The Applicant shall submit copies of the signed original Application, in the number specified in the PDS, and clearly mark them "COPY". In the event of any discrepancy between the original and the copies, the original shall prevail.

D. Submission of Applications

17 Sealing and Marking of Applications

- 17.1 The Applicant shall enclose the original and the copies of the Application in a sealed envelope that shall:
 - a Bear the name and address of the Applicant;
 - b Be addressed to the Procuring Entity, in accordance with ITA 17.1; and
 - c Bear thespecificidentificationofthisprequalificationprocessindicatedinthePDS1.1.
- 17.2 The Procuring Entity will accept no responsibility for not processing any envelope that was not identified as required in ITA 16.1 above.

18 Deadline for Submission of Applications

- **18.1** Applicants may either submit their Applications by mail or by hand. Applications shall be received by the Procuring Entity at the address and no later than the deadline indicated in the PDS. When so specified in the PDS, Applicants have the option of submitting their Applications electronically, in accordance with electronic Application submission procedures specified in the **PDS**.
- 18.2 The Procuring Entity may, at its discretion, extend the deadline for the submission of Applications by amending the Prequalification Document in accordance with ITA 8, in which case all rights and obligations of the Procuring Entity and the Applicants subject to the previous deadline shall thereafter be subject to the deadline as extended.

19 Late Applications

19.1 The Procuring Entity reserves the right to accept applications received after the deadline for submission of applications, unless otherwise specified in the **PDS**. If late applications will be accepted, they must be received not later than the date specified in the **TDS** after the deadline for submission of applications.

20. Opening of Applications

- 20.1 The Procuring Entity shall open all Applications at the date, time and place specified in the **PDS.** Late Applications shall be treated in accordance with ITA 19.1.
- 20.2 Applications submitted electronically (if permitted pursuant to ITA 17.1) shall be opened in accordance with the procedures specified in the **PDS**.
- 20.2 The Procuring Entity shall prepare a record of the opening of Applications to include, as a minimum, the name of the Applicants. A copy of the record shall be distributed to all Applicants.

E. Procedures for Evaluation of Applications

21 Confidentiality

- 21.1 Information relating to the Applications, their evaluation and results of the prequalification shall not be disclosed to Applicants or any other persons not officially concerned with the prequalification process until the notification of prequalification results is made to all Applicants in accordance with ITA 28.
- 21.2 From the deadline for submission of Applications to the time of notification of the results of the prequalification in accordance with ITA 28, any Applicant that wishes to contact the Procuring Entity on any matter related to the prequalification process may do so only in writing.

22 Clarification of Applications

- 22.1 To assist in the evaluation of Applications, the Procuring Entity may, at its discretion, ask an Applicant for a clarification (including missing documents) of its Application, to be submitted within a stated reasonable period of time. Any request for clarification from the Procuring Entity and all clarifications from the Applicant shall be in writing.
 - 22.1 If an Applicant does not provide clarifications and/or documents requested by the date and time set in the Procuring Entity's request for clarification, its Application shall be evaluated based on the information and documents available at the time of evaluation of the Application.

23 **Responsiveness of Applications**

23.1 The Procuring Entity may reject any Application which is not responsive to the requirements of the Prequalification Document. In case the information furnished by the Applicant is incomplete or otherwise requires clarification as per ITA 21.1, and the Applicant fails to provide satisfactory clarification and/or missing information, it may result in disqualification of the Applicant.

24 Margin of Preference

24.1 Unless otherwise specified in the **PDS**, a margin of preference shall not apply in the Tendering process resulting from this prequalification.

25 Nominated Subcontractors

25.1 Unless otherwise stated in the PDS, the Procuring Entity does not intend to execute any specific elements of the works by sub-contractors selected in advance by the Procuring Entity (so-called "Nominated Subcontractors").

25.2 The Applicant shall not propose to subcontract the whole of the Works or Goods. The maximum limit of subcontracting permitted under the contract may be specified by the Procuring Entity in the Tendering Document. The Procuring Entity, in ITA 25.2, may permit the Applicant to propose subcontractors for certain specialized parts of the contract as indicated there in as ("Specialized Subcontractors"). Applicants planning to use such Specialized Subcontractors shall specify, in the Application Submission Letter, the activity(ies) or parts of the Works proposed to be subcontracted along with details of the proposed subcontractors including their qualification and experience.

F. Evaluation of Applications and Prequalification of Applicants

26 Evaluation of Applications

- 26.1 The Procuring Entity shall use the factors, methods, criteria, and requirements defined in Section III, Qualification Criteria and Requirements, to evaluate the qualifications of the Applicants, and no other methods, criteria, or requirements shall be used. The Procuring Entity reserves the right to waive min or deviations from the qualification criteria if they do not materially affect the technical capability and financial resources of an Applicant to perform the Contract.
- 26.2 Subcontractors proposed by the Applicant shall be fully qualified and meet the minimum specific experience criteria as specified for their parts of the proposed contract for Works or Goods or non-consulting services. The subcontractor's qualifications shall not be used by the Applicant to qualify for the Works or Goods or non-consulting services unless their parts of the Works or Goods or non-consulting services were previously designated by the Procuring Entity in the PDS as can be met by Specialized Subcontractors, in which case:
 - i) The Specialized Subcontractors shall meet the minimum qualification requirements specified in Section III, and
 - the qualifications with respect to specific experience of the Specialized Subcontractor proposed by the ApplicantmaybeaddedtothequalificationsoftheApplicantforthepurposeoftheevaluation.
 Unless the Applicant has been determined prequalified on its own without taking into account the qualification and experience of the proposed specialized sub-contractor, the tender submitted by the Applicant shall include the same specialized sub-contractor failing which, such tender may be rejected unless a change in the specialized sub-contractor was requested by the Applicant and approved by the Procuring Entity subsequent to prequalification but before the tender submission deadline in accordance with ITA 30.
- 26.3 In case of multiple contracts, Applicants should indicate in their Applications the individual contract or combination of contracts in which they are interested. The Procuring Entity shall prequalify each Applicant for each lot and for a combination of contracts for which the Applicant has thereby indicated its interest and for which the Applicant meets the appropriate aggregate requirements the Eligibility and Qualification Criteria.
- 26.4 Further, in the case of multiple contracts, the Procuring Entity will prepare the Eligibility and Qualification Criteria Form for items 3.1, 3.2, 4.2(a) and 4.2(b) for each Lot, to be completed by applicants.
- 26.5 Only the qualifications of the Applicant shall be considered. The qualifications of other firms, including the Applicant's subsidiaries, parent entities, affiliates, subcontractors (other than Specialized Subcontractors in accordance with ITA 25.2 above) or any other firm(s) different from the Applicant shall not be considered.

27 Procuring Entity's Right to Accept or Reject Applications

27.1 The Procuring Entity reserves the right to accept or reject any Application, and to annul the prequalification process and reject all Applications at any time, without thereby incurring any liability to the Applicants.

28 Prequalification of Applicants

- 28.1 All Applicants whose Applications substantially meet or exceed the specified qualification requirements will be prequalified by the Procuring Entity. The Procuring Entity shall notify all Applicants in writing of the names of those Applicants who have been prequalified or conditionally prequalified. In addition, those Applicants who have been disqualified will be informed separately.
- 28.32 Applicants that have not been prequalified may write to the Procuring Entity to request, in writing, the grounds on which they were disqualified.

28 Invitation to Tender

- 29.1 Promptly after the notification of the results of the prequalification, the Procuring Entity shall invite Tenders from all the Applicants that have been prequalified or conditionally prequalified.
- 28.2 Applicants may be required to provide a Tender Security or a Tender-Securing Declaration acceptable to the Procuring Entity in the form and an amount to be specified in the tendering document.
- 28.3 The successful Applicant shall be required to provide a Performance Security as specified in the tendering document.

29 Changes in Qualifications of Applicants

30.1 Any change in the structure or formation of an Applicant after being prequalified in accordance with ITA 27 and invited to tender (including, in the case of a JV, any change in the structure or formation of any member and also including any change in any specialized subcontractor whose qualifications were considered to prequalify the Applicant) shall be subject to the written approval of the Procuring Entity prior to the deadline for submission of Tenders. Such approval shall be denied if (i) a prequalified applicant proposes to associate with a disqualified applicant or in case of a disqualified joint venture, any of its members; (ii) as a consequence of the change, the Applicant no longer substantially meets the qualification criteria set forth in Section III (Qualification Criteria and Requirements); or (iii) in the opinion of the Procuring Entity, the change may result in a substantial reduction in competition. Any such change should be submitted to the Procuring Entity not later than fourteen (14) days after the date of the Invitation to Tender.

31 Procurement Related Complaints and Administrative Review

- 31.1 The procedures for making a Procurement-related Complaint are as specified in the PDS.
- 31.2 A request for administrative review shall be made in the form provided.

SECTION II - PREQUALIFICATION DATA SHEET (PDS)

Reference to ITC Clause	PARTICULARS OF APPENDIX TO INSTRUCTIONS TO TENDERS
A. General	
ITA 1.1	The Procuring Entity is: Kisii County Government – The Kisii Teaching and
117 1.1	Referral Hospital
	The identification of the Invitation for Prequalification is: KRH/20/2023-2025
	The particular type of contract is on: Goods for Supply and delivery of
	Orthopedic/Surgical In-plant
	The application is for: Supply and delivery of Orthopedic/Surgical In-plant
	Prequalification will be based on : Individual Contracts
ITA 2	The Source of funds shall be
ITA 5.2	Maximum number of members in the JV shall be:N/A
B. Content	s of the Prequalification Document
ITA 8.1	For clarification purposes, the Procuring Entity's address is: Kisii Teaching and
	Referral Hospital, P.O Box 92-40200, Kisii
	Attention: THE CEO
	Kisii Teaching and Referral Hospital
	Physical Address: Kisii Teaching and Referral Hospital, Kisii Town
	Telephone: [insert telephone number including country and city codes]
	Electronic mail address: <u>ktrh.procurement@kisii.go.ke</u>
	Web page: <u>www.ktrh.or.ke</u>
ITA 8.2	A pre-arranged Site visit will be held onN/A
ITA 8.3	Questions and requests for clarification made in writing or by email shall reach the
	Procuring Entity not later than13 th May 2023
ITA 8.5	Minutes of the pre-arranged site visit and those of the pre-proposal meeting at the web page N/A (<i>Web page of the Procuring Entity</i>).
ITT 9.2	Addendum issued shall be published at the website : www.ktrh.or.ke
ITA 8.2	Pre-Application Meeting will be held: No
C. Preparatio	on of Applications
ITA 12.1 (d)	The Applicant shall submit with its Application, the following additional documents: as
	envisaged in the mandatory and technical evaluation criteria
ITA 15.2(b)	The source for determining exchange rates is CBK Exchange rates
ITA 16.2	In addition to the original, the number of copies to be submitted with the Application is:
	1(ONE) ORIGINAL DOCUMENT
D. Submissio	n of Applications
ITA 17.1	The deadline for Application submission is: 17 th May 2023 at 10:00 am local time
	For Application submission purposes only, the Procuring Entity's address is: Kisii
	Teaching and Referral Hospital, P.O Box 92-40200, Kisii
	Attention: THE CEO
	Address: Kisii Teaching and Referral Hospital, Kisii Town
	Country: KENYA- Kisii County
	Telephone:
	Email address: <u>ktrh.procurement@kisii.go.ke</u>
	Applicants SHALL NOT have the option of submitting their Applications
	electronically. Only manual submissions shall be accepted
	The electronic Application submission procedures shall be: N/A
ITA 18.1	Late Applications will be returned unopened to the Applicants.

Reference to	PARTICULARS OF APPENDIX TO INSTRUCTIONS TO TENDERS
ITC Clause	
A. General	
ITA 19.1	The Procuring Entity will not accept late applications.
	If late applications will be accepted, they must be received not later than
	N/A after the deadline for submission of applications
ITA 20.1	1.1 The opening of the Applications shall be at Kisii teaching & referral Hospital conference Hall on Wednesday, 17 th May, 2023 at 10.00 AM
ITA 20.2	The electronic Application opening procedures shall be: N/A
E. Procedui	res for Evaluation of Applications
ITA 24.1	A margin of preference <i>shall not</i> apply.
ITA 25.1	At this time the Procuring Entity <i>does not intend</i> to execute certain specific parts of the
	Works by sub-contractors selected in advance.
ITA 25.2	The parts of the Works for which the Procuring Entity permits Applicants to propose Specialized Subcontractors are designated as follows: N/A
	For the above-designated parts of the Works that may require Specialized
	Subcontractors, the relevant qualifications of the proposed Specialized Subcontractors
	will be added to the qualifications of the Applicant for the purpose of evaluation.
ITA 31.1	An Applicant wishes to make a Procurement-related Complaint, the Applicant should submit its complaint in writing (by the quickest means available, that is either by hand delivery or email), to: For the attention: DR. OIMEKE MARIITA Title/position: THE CEO Procuring Entity: KISII TEACHING & REFFERAL HOSPTAL Email address: <u>ktrh.procurement@kisii.go.ke</u> In summary, at this stage, a Procurement-related Complaint may challenge any of the following: the terms of the Prequalification Documents; and the Procuring Entity's decision not to prequalify an Applicant.

SECTION III - QUALIFICATION CRITERIA AND REQUIREMENTS

PRELIMINARY EXAMINATION

1.1 Stage I – Mandatory Requirements

The following criteria will be used in the evaluation of all bids. The submission of the required documents will be used in the determination of the Completeness and Suitability of the Bid. Bids that do not contain all the information required will be declared non-responsive and shall not be evaluated further.

The bidder must attach the following mandatory documents

	Requirements	Requirement	Yes/No
1.	Certificate of Registration/Incorporation	Mandatory	
2.	Certified copy of Valid Tax Compliance Certificate/ Exemption certificate	Mandatory	
3.	CR 12 and Copies of National IDs for the Directors	Mandatory	
4.	Valid Business License Certificate (Single Business Permit)	Mandatory	
5.	Dully filled and priced schedule form	Mandatory	

NOTE: Failure to comply with Mandatory requirements will lead to automatic disqualification. Only bidders who are successful at this stage will proceed to the next stage of evaluation.

1.2 Stage II - TECHNICAL EVALUATION

Registration will be based on meeting the minimum requirements to pass in the criteria set as shown below. The attached questionnaire forms FORM-1-9, are to be completed by prospective suppliers who wish to be registered for submission of tenders.

EVALUATION CRITERIA

	Requirements	Score
1	Duly filled Supplier Application Form	15
2	Duly filled Application Submission Form	15
3	Duly filled Confidential Business Questionnaire	20
4	Litigation History (Provide current sworn affidavit)	10
5	Sworn Statement	10
6	Financial Situation and Performance	5
7	Sources of Finance	5
8	Average Annual Construction or Supplier Contracts Turnover	5
9	Relevant Past Experience	
	Provide names of three clients (organizations)	
	i) First client Organization (Attach documental evidence)	5
	ii) Second client Organization (Attach documental evidence)	5
	iii) Third client Organization (Attach documental evidence)	5
	TOTAL	100

The minimum pass mark to qualify for registration shall be 70. Applicants who will not meet this minimum pass mark shall be disqualified at this stage.

FORM -1 - REGISTRATION DATA

SUPPLIERS APPLICATION FORM

I/We	hereby apply for registration
(Name of Company/Firm)	
as suppliers of	
(Item Descriptio	(n)
Category No	
Other branches and location	
Organization & Business Information	n
Management Personnel	Job Title
1	
2	
3	
Partnership (if applicable)	
Names of Partners	
Indicate terms of trade/ sale /Payment	
	(15 points)

FORM -2 - APPLICATION FORMS

1. <u>Application Submission Letter</u>

To:*[insert full name of Procuring Entity]* We, the undersigned, apply to be prequalified for the referenced ITT and declare that:

- *a)* No reservations: We have examined and have no reservations to the Prequalification Document, including Addendum(s) No(s), issued in accordance with ITA 8: *[insert the number and issuing date of each addendum]*.
- b) No conflict of interest: We have no conflict of interest in accordance with ITA 5.7;
- c) Eligibility: We (and our subcontractors) meet the eligibility requirements as stated ITA 5, we have not been suspended by the Procuring Entity based on execution of a Tender/Proposal-Securing Declaration in accordance with ITA 5.8;

Suspension and Debarment: We, along with any of our subcontractors, suppliers, consultants, manufacturers, or service providers for any part of the contract, are not subject to, and not controlled by any entity or individual that is subject to, a temporary suspension or a debarment imposed by the PPRA. Further, we are not ineligible under the Kenya laws or official regulations or pursuant to a decision of the United Nations Security Council;

State-owned enterprise or institution: [select the appropriate option and delete the other] [We are not a stateowned enterprise or institution] / [We are a state-owned enterprise or institution but meet the requirements of ITA5.9];

- (g) Commissions, gratuities, fees: We declare that the following commissions, gratuities, or fees have been paid or are to be paid with respect to the prequalification process, the corresponding Tendering process or execution of the Contract:

Name of Recipient	Address	Reason	Amount
[insert full name for each occurrence]	[insert street/ number/city/country]	[indicate reason]	[specify amount currency, value, exchange rate and KENYA SHILLING equivalent]

[If no payments are made or promised, add the following statement: "No commissions or gratuities have been or are to be paid by us to agents or any third party relating to this Application]

- (h) Not bound to accept: We understand that you may cancel the prequalification process at any time and thatyouareneitherboundtoacceptanyApplicationthatyoumayreceivenortoinvite the prequalified Applicants to Tender for the contract subject of this Prequalification process, without incurring any liability to the Applicants, in accordance with ITA 26.1.
- (i) True and correct: All information, statements and description contained in the Application are in all respect true, correct and complete to the best of our knowledge and belief.

Signed......[insertsignature(s)ofanauthorizedrepresentative(s)oftheAppl icant] Name[insert full name of person signing the Application] In the capacity of[insert full name of person signing the Application] Duly authorized to sign the Application for and on behalf of: Applicant's Name.......[insert full name of Applicant or the name of the JV] Address[insert full name of Applicant or city/country address] Dated on[insert day number] day of [insert month], [insert year] [For a joint venture, either all members shall sign or only the authorized representative, in which

[For a joint venture, either all members shall sign or only the authorized representative, in which case the power of attorney to sign on behalf of all members shall be attached] (15 points)

FORM -3 CONFIDENTIAL BUSINESS QUESTIONNAIRE

You are requested to give the particulars indicated in Part I and either Part 2 (a), 2 (b) or 2 (c) whichever applies to your type of business.

You are advised that it is a serious offence to give false information on this form

Part 1- General:

Business Name			
Plot No			
Location of Business Pa	emises		
Street/Road			
Postal Address	Tel N	No	
Nature of Business	Curre	nt Trade license	
Expiring			
Maximum Value of Busin	ess which you can Handle a	at Any Given Time: Ksh	
Name of Your Banker(s)	Branch	

Part 2 (a) Sole Proprietor

Your Name in Full	Age
Nationality	Country of Origin
Citizenship Details	

Part 2 (b) Partnership

Given Deta	ails of partners as fol	llows:		
Name	Nationality	Citizenship Details	Shares	
		•••••		•••••
				•••••
				•••••

(20 Points)

FORM-4 - LITIGATION HISTORY

Name of Contract Supplier.....

Contractors/Suppliers should provide information on any history of litigation or arbitration resulting from contracts executed in the last one year or currently under execution. (*Indicate not applicable if no litigation history*)

YEAR	AWARD FOR OR AGAINST	NAME OF CLIENT CAUSE OF LITIGATION AND MATTER IN DISPUTE	DISPUTED AMOUNT (CURRENT VALUE, KSHS. EQUIVALENT)

(10 Points)

FORM-5 - SWORN STATEMENT

Having studied the Registration information for the above project we/I hereby state:

- a. That the information furnished in our/my application is accurate to the best of my/our knowledge.
- b. That in case of being registered, we/I acknowledge that this grants us the right to participate in due time in the submission of a tenders or quotations on the basis of provisions in the tender or quotation documents to follow.
- c. When the legal status, financial conditions, technical or contractual capacity of the firm changes such that it affects our/my ability to respond to participate in quotations /tenders, we commit ourselves to inform you and acknowledge your right to review the Registration made.
- d. We/I enclose all the required documents and information required for the Registration evaluation.

plicant's Name/Company
me
presented
*
te
u
gnature &Stamp
· •

(Full name and designation of the person signing and stamp or seal) (10 points)

FORM - 6- Financial Situation and Performance

[The following table shall be filled in for the Applicant and for each member of a Joint Venture]

Applicant's Name:	. [insert full name]
Date: [insert day,	month, year]
Joint Venture Member Name:	[insert full name]
ITT No. and title:	[insert ITT number and title]
Page [insert page r	number] of [insert total number] pages

1. Financial data

Type of Financial information in (currency)	 Historic information for previous _[insert number] years, [insert in words] (amount in currency, currency, exchange rate*, USD equivalent) 				
	Year 1	Year 2	Year 3	Year4	Year 5
Statement of Financial Position (I	information	from Balance	Sheet)		
Total Assets (TA)					
Total Liabilities (TL)					
Total Equity/Net Worth (NW)					
Current Assets (CA)					
Current Liabilities (CL)					
Working Capital (WC)					
Information from Income Statem	ent				
Total Revenue (TR)					
Profits Before Taxes (PBT)					
Cash Flow Information					
Cash Flow from Operating Activities					

(5 points)

FORM -7 Sources of Finance

Specify sources of finance to meet the cash flow requirements on works currently in progress and for future contract Commitments.

No.	Source of finance	Amount (Kenya shilling equivalent)
1		
2		
3		

5.3 Financial documents

The Applicant and its parties shall provide copies of financial statements for *[number]* years pursuant Section III, Qualifications Criteria and Requirements, Sub-factor 3.1. The financial statements shall:

- a) Reflect the financial situation of the Applicant or in case of JV member, and not an affiliated entity (such as parent company or group member).
- b) Be independently audited or certified in accordance with local legislation.
- c) Be complete, including all notes to the financial statements.
- d) Correspond to accounting periods already completed and audited.

(5 points)

FORM-8 - Average Annual Construction or Supply Contracts Turnover

[The following table shall be filled in for the Applicant and for each member of a Joint Venture] Applicant's

Name: [insert full name]

Date: [insert day, month, year]

Joint Venture Member Name: [insert full name]

ITT No. and title: [insert ITT number and title]

Page.....[insert page number] of[insert total number] pages

Table A (Complete if Contractor)

Annual turnover	· data (construction only)		
Year	Amount	Exchange rate*	USD equivalent
	Currency		
[indicate	[insert amount and indicate		
calendar year]	currency]		
		Average Annual	
(5 points)		Construction	
		Turnover **	

OR

Table B (Complete if Supplier)

Annual turnover	data (Supply contracts)		
Year	Amount	Exchange rate*	USD equivalent
	Currency		
[indicate	[insert amount and indicate		
calendar year]	currency]		
		Average Annual	
(5 points)		Construction	
		Turnover **	

FORM-9 PAST EXPERIENCE NAMES OF AT LEAST THREE CLIENTS

1.	Name of 1 st Client (organization)
i)	Name of Client (organization)
ii)	Address of Client (organization)
iii)	Name of Contact Person at the Client (organization)
iv)	Telephone No. of Client
v)	Duration of Contract (date)
vi)	Signature and Stamp of Organization
2.	Name of 2 nd Client (organization)
i)	Name of Client (organization)
ii)	Address of Client (organization)
iii)	Name of Contact Person at the Client (organization)
iv)	Telephone No. of Client
v)	Duration of Contract (date)
vi)	Signature and Stamp of Organization
3.	Name of 3 ^{rd.} Client (organization)
i)	Name of Client (organization)
ii)	Address of Client (organization)
iii)	Name of Contact Person at the Client (organization)
iv)	Telephone No. of Client
v)	Duration of Contract (date)
vii)	Signature and Stamp of Organization
	(15 points)

NB: Cut mark is 70%

The approved Candidates shall be the one who attain the minimum score which is 70%

Stage 3- Financial Evaluation

The bidders quoted prices will be examined and awarded the Item description that will fall within the price range and standard of the Kisii Teaching and Referral Hospital

Note

The prices will be unified across all the successful responsive bidders

SECTION V - SCOPE OF WORKS, GOODS OR NON-CONSULTING SERVICES REQUIRED

SUPPLY AND DELIVERY OF ORTHOPEDIC/SURGICAL IN-PLANT
KTRH/20/2023-2025

NO	DESCRIPTION OF ITEMS	UNIT OF	UNIT PRICE
		ISSUE	
1.	K – Wire dia 1.5mm, length 150+10mm,trocar tip st. St1	No	
2.	K – Wire dia 1. 6 mm, length150±10 mm trocar tip St. stI	No	
3.	K – Wire dia 1.8mm, length 150±10mm,trocar tip st. St1	No	
4.	K – Wire dia 2.0mm, length 150±20mm,trocar tip st. St1	No	
5.	K – Wire dia 2.5mm, length 150±10mm,trocar tip st. St1	No	
6.	Steinman pin dia 4.0mm, length 230±10mm trocar tip St. Stl	No	
7.	Steinman pin dia 4.5mm, length 230±10mm trocar tip St. Stl	No	
8.	Steinman pin dia 5.0mm, length 230±10mm trocar tip St. Stl	No	
9.	Cerclage wire dia 0.8 mm length 10m soft st. stl	30 cm	
10.	Cerclage Wire dia 1.20mm length 30 cm soft st. stl	No	
11.	Cerclage wire with eye dial 1.2 mm, length 280+ 20mm soft st. stl	No	
12.	4.5mm Cortex Screw, length 20mm, st. steel	No	
13.	4.5mm Cortex Screw, length 22mm, st. steel	No	
14.	4.5mm Cortex Screw, length 24mm, st. steel	No	
15.	4.5mm Cortex Screw, length 26mm, st. steel	No	
16.	4.5mm Cortex Screw, length 28mm, st. steel	No	
17.	4.5mm Cortex Screw, length 30mm, st. steel	No	
18.	4.5mm Cortex Screw, length 32mm, st. steel	No	
19.	4.5mm Cortex Screw, length 34mm, st. steel	No	
20.	4.5mm Cortex Screw, length 36mm, st. steel	No	
21.	4.5mm Cortex Screw, length 38mm, st. steel	No	
22.	4.5mm Cortex Screw, length 40mm, st. steel2	No	
23.	4.5mm Cortex Screw, length 42mm, st. steel	No	
24.	4.5mm Cortex Screw, length 44mm, st. steel	No	
25.	6.5mm Cancellous Bone Screw/16mm, length 60mm, st. steel	No	
26.	6.5mm Cancellous Bone Screw/16mm, length 65mm, st. steel	No	
27.	6.5mm Cancellous Bone Screw/16mm, length 70mm, st. steel	No	
28.	6.5mm Cancellous Bone Screw/16mm, length 75mm, st. steel	No	
29.	6.5mm Cancellous Bone Screw/16mm, length 80mm, st. steel	No	

30.	6.5mm Cancellous Bone Screw/16mm, length 85mm, st. steel	No
31.	6.5mm Cancellous Bone Screw/16mm, length 90mm, st. steel	No
32.	6.5mm Cancellous Bone Screw/16mm, length 95mm, st. steel	No
33.	6.5mm Cancellous Bone Screw/16mm, length 100mm, st. steel	No
34.	6.5mm Cancellous Bone Screw/16mm, length 105mm, st. steel	No
35.	6.5mm Cancellous Bone Screw/16mm, length 110mm, st. steel	No
36.	6.5mm Cancellous Bone Screw/32mm, length 30mm, st. steel	No
37.	6.5mm Cancellous Bone Screw/32mm, length 35mm, st. steel	No
38.	6.5mm Cancellous Bone Screw/32mm, length 40mm, st. steel	No
39.	6.5mm Cancellous Bone Screw/32mm, length 45mm, st. steel	No
40.	6.5mm Cancellous Bone Screw/32mm, length 50mm, st. steel	No
41.	6.5mm Cancellous Bone Screw/32mm, length 55mm, st. steel	No
42.	6.5mm Cancellous Bone Screw/32mm, length 60mm, st. steel	No
43.	6.5mm Cancellous Bone Screw/32mm, length 65mm, st. steel	No
44.	6.5mm Cancellous Bone Screw/32mm, length 70mm, st. steel	No
45.	6.5mm Cancellous Bone Screw/32mm, length 75mm, st. steel	No
46.	6.5mm Cancellous Bone Screw/32mm, length 80mm, st. steel	No
47.	6.5mm Cancellous Bone Screw/32mm, length 85mm, st. steel	No
48.	6.5mm Cancellous Bone Screw/32mm, length 90mm, st. steel	No
49.	6.5mm Cancellous Bone Screw/32mm, length 95mm, st. steel	No
50.	6.5mm Cancellous Bone Screw/32mm, length 100mm, st. steel	No
51.	6.5mm Cancellous Bone Screw/32mm, length 105mm, st. steel	No
52.	6.5mm Cancellous Bone Screw/32mm, length 110mm, st. steel	No
53.	6.5mm Cancellous Bone Screw/fully threaded, length 40mm, st. steel	No
54.	6.5mm Cancellous Bone Screw/fully threaded, length 45mm, st. steel	No
55.	Washer, 13/6.7mm dia., for large Cancellous Bone Screws, st. steel	No
56.	Washer, spiked dia., 13.5/5.6mm	No
57.	4.5mm Cortex Screws, self - tapping st. steel length 14mm	No
58.	4.5mm Cortex Screws, self - tapping st. steel length 16mm	No
59.	4.5mm Cortex Screws, self - tapping st. steel length 18mm	No
60.	4.5mm Cortex Screws, self - tapping st. steel length 20mm	No
61.	4.5mm Cortex Screws, self - tapping st. steel length 22mm	No
62.	4.5mm Cortex Screws, self - tapping st. steel length 24mm	No
		<u>I </u>

63.	4.5mm Cortex Screws, self - tapping st. steel length 26mm	No
64.	4.5mm Cortex Screws, self - tapping st. steel length 28mm	No
65.	4.5mm Cortex Screws, self - tapping st. steel length 30mm	No
66.	4.5mm Cortex Screws, self - tapping st. steel length 32mm	No
67.	4.5mm Cortex Screws, self - tapping st. steel length 34mm	No
68.	4.5mm Cortex Screws, self - tapping st. steel length 38mm	No
69.	4.5mm Cortex Screws, self - tapping st. steel length 40mm	No
70.	4.5mm Cortex Screws, self - tapping st. steel length 42mm	No
71.	4.5mm Cortex Screws, self - tapping st. steel length 44mm	No
72.	4.5mm Cortex Screws, self - tapping st. steel length 46mm	No
73.	LC-DCP 4.5, narrow, 6 holes, length 103mm, st. steel	No
74.	LC-DCP 4.5, narrow, 7 holes, length 119mm, st. steel	No
75.	LC-DCP 4.5, narrow, 8 holes, length 135mm, st. steel	No
76.	LC-DCP 4.5, narrow, 9 holes, length 151mm, st. steel	No
77.	LC-DCP 4.5, narrow, 10 holes, length 167mm, st. steel	No
78.	LC-DCP 4.5, Broad, 7 holes, length 119mm, st. steel	No
79.	LC-DCP 4.5, Broad, 8 holes, length 135mm, st. steel	No
80.	LC-DCP 4.5, Broad, 9 holes, length 151mm, st. steel	No
81.	LC-DCP 4.5, Broad, 10 holes, length 167mm, st. steel	No
82.	LC-DCP 4.5, narrow, 6 holes, length 103mm, st. steel Locked	No
83.	LC-DCP 4.5, narrow, 7 holes, length 119mm, st. steel ,Locked	No
84.	LC-DCP 4.5, narrow, 8 holes, length 135mm, st. steel, Locked	No
85.	LC-DCP 4.5, narrow, 9 holes, length 151mm, st. steel, Locked	No
86.	LC-DCP 4.5, narrow, 10 holes, length 167mm, st. steel, Locked	No
87.	LC-DCP 4.5, Broad, 7 holes, length 119mm, st. steel, Locked	No
88.	LC-DCP 4.5, Broad, 8 holes, length 135mm, st. steel, Locked	No
89.	LC-DCP 4.5, Broad, 9 holes, length 151mm, st. steel, Locked	No
90.	LC-DCP 4.5, Broad, 10 holes, length 167mm, st. steel, Locked	No
91.	LC-DCP 4.5, Broad, 11 holes, length 167mm, st. steel, Locked	No
92.	LC-DCP 4.5, Broad, 12 holes, length 167mm, st. steel,Locked	No
93.	LC-DCP 4.5, Broad, 13 holes, length 167mm, st. steel, Locked	No
94.	LC-DCP 4.5, Broad, 14 holes, length 167mm, st. steel, Locked	No
95.	T-Plate 4.5, 6 holes, length 116mm st. steel	No
96.	T-Plate 4.5, 8 holes, length 148mm st. steel	No
		<u> </u>

97.	Lateral Tibial head Buttress plates 4.5 for right leg. St. steel holes 5 length 117mm	No
98.	Lateral Tibial head Buttress plates 4.5 for right leg. St. steel holes 7length 149mm	No
99.	Lateral Tibial head Buttress plates 4.5 for right leg. St. steel holes 9 length 181mm	No
100.	Lateral Tibial head Buttress plates 4.5 for right leg. St. steel holes 11 length 213mm	No
101.	Lateral Tibial head Buttress plates 4.5 for right leg. St. steel holes 13 length 245mm	No
102.	Lateral Tibial head Buttress plates 4.5 for left leg. St. steel holes 7 length 149mm	No
103.	Lateral Tibial head Buttress plates 4.5 for left leg. St. steel holes 9 length 181mm	No
104.	Lateral Tibial head Buttress plates 4.5 for left leg. St. steel holes 11, length 213mm	No
105.	3.5mm Cortex screw, length 10mm, St steel	No
106.	3.5mm Cortex Screw, length 12mm, St. Steel.	No
107.	3.5mm Cortex Screw, length 14mm, St Steel.	No
108.	3.5mm Cortex Screw, length 16mm, St. Steel.	No
109.	3.5mm Cortex Screw, length 18mm, St. Steel.	No
110.	3.5mm Cortex Screw, length 20mm, St. Steel.	No
111.	3.5mm Cortex Screw, length 22mm, St. Steel.	No
112.	3.5mm Cortex Screw, length 24mm, St. Steel	No
113.	3.5mm Cortex Screw, length 26mm, St. Steel.	No
114.	3.5mm Cortex Screw, length 28mm, St. Steel.	No
115.	3.5mm Cortex Screw, length 32mm, St. Steel.	No
116.	3.5mm Cortex Screw, length 36mm, St. Steel.	No
117.	3.5mm Cortex Screw, length 40mm, St. Steel.	No
118.	3.5mm Cortex Screw, length 45mm, St. Steel.	No
119.	3.5mm, Cortex Screw, length 50mm, St. Steel.	No
120.	4.0mm Cancellous Bone Screw/Fully threaded, length 14mm, St. Steel.	No
121.	4.0mm Cancellous Bone Screw/fully threaded, length 16mm, St. Steel	No
122.	4.0mm Cancellous Bone Screw/Fully threaded, length 18mm, St. Steel.	No
123.	4.0mm Cancellous Bone Screw/Fully threaded, length 20mm,St. Steel.	No

124.	4.0mm Cancellous Bone Screw/Fully threaded, length 22mm, St. Steel.	No
125.	4.0mm Cancellous Bone Screw/Fully threaded, length 24mm, St. Steel	No
126.	4.0mm Cancellous Bone Screw/fully threaded, length 26mm, St. Steel.	No
127.	4.0mm Cancellous Bone Screw/fully threaded, length 28mm, St. Steel.	No
128.	4.0mm Cancellous Bone Screw/fully threaded, length 30mm, St. Steel.	No
129.	4.0mm Cancellous Bone Screw/fully threaded, length 32mm, St. Steel.	No
130.	4.0mm Cancellous Bone Screw/fully threaded, length 35mm St. Steel.	No
131.	4.0mm Cancellous Bone Screw/fully threaded, length 40mm, St. Steel.	No
132.	4.0mm Cancellous Bone Screw/fully threaded, length 45mm, St. Steel.	No
133.	4.0mm Cancellous Bone Screw/short thread, length 12/5mm, St. Steel.	No
134.	4.0mm Cancellous Bone Screw/short thread, length 14/5mm, St. Steel.	No
135.	4.0mm Cancellous Bone Screw/short thread, length 16/6mm, St. Steel.	No
136.	4.0mm Cancellous Bone Screw/short thread, length 18/7mm, St. Steel.	No
137.	4.0mm Cancellous Bone Screw/short thread, length 20/8mm, St. Steel.	No
138.	4.0mm Cancellous Bone Screw/short thread, length 22/9mm, St. Steel.	No
139.	4.0mm Cancellous Bone Screw/short thread, length 24/10mm, St. Steel.	No
140.	4.0mm Cancellous Bone Screw/short thread, length 26/12mm, St. Steel.	No
141.	4.0mm Cancellous Bone Screw/short thread, length 28/14mm, St. Steel.	No
142.	4.0mm Cancellous Bone Screw/short thread, length 30/14mm, St. Steel.	No
143.	4.0mm Cancellous Bone Screw/short thread, length 35/14mm, St. Steel.	No
144.	4.0mm Cancellous Bone Screw/short thread, length 40/14mm, St. Steel.	No

145.	4.0mm Cancellous Bone Screw/short thread, length 45/15mm, St. Steel.	No
146.	4.0mm Cancellous Bone Screw/short thread, length 50/15mm, St. Steel.	No
147.	LC-DCP 3.5 St. Steel. Holes 5, length 62mm.	No
148.	LC-DCP 3.5 St. Steel, holes 6, length 74mm.	No
149.	LC-DCP 3.5 St. Steel, holes 7, length 7, 86mm.	No
150.	LC-DCP 3.5 St. Steel, holes 8, length 98mm.	No
151.	LC-DCP 3.5 St. Steel, holes 9, length 110mm.	No
152.	LC-DCP 3.5 St. Steel, holes10, length 122mm.	No
153.	LC-DCP 3.5 St. Steel, holes 11, length 134mm.	No
154.	Locked LC-DCP 3.5 St. Steel. Holes 5, length 62mm.	No
155.	Locked LC-DCP 3.5 St. Steel, holes 6, length 74mm.	No
156.	Locked LC-DCP 3.5 St. Steel, holes 7, length 7, 86mm.	No
157.	Locked LC-DCP 3.5 St. Steel, holes 8, length 98mm.	No
158.	Locked LC-DCP 3.5 St. Steel, holes 9, length 110mm.	No
159.	Locked LC-DCP 3.5 St. Steel, holes10, length 122mm.	No
160.	Locked LC-DCP 3.5 St. Steel, holes 11, length 134mm.	No
161.	Distal Radius T- plate 3.5 oblique angled (Right) 3/3,4,5,6 holes, length 74mm, St. Steel.	No
162.	Distal Radius T- plate 3.5 oblique angled (Left) 3/3,4,5,6 holes, length 74mm, St. Steel.	No
163.	One-third tubular plate 3.5 with collar, 4 holes, length 52mm, St. steel.	No
164.	One-third tubular plate 3.5 with collar, 5 holes, length 64mm, St. Steel.	No
165.	One-third tubular plate 3.5 with collar, 6 holes, length 76mm, St. steel.	No
166.	One-third tubular plate 3.5 with collar, 7 holes, length 88mm, St. Steel.	No
167.	One-third tubular plate 3.5 with collar, 8 holes, length 100mm, St. Steel.	No
168.	One-third tubular plate 3.5 with collar, 9 holes, length 100mm, St. Steel.	No
169.	One-third tubular plate 3.5 with collar, 10 holes, length 100mm, St. Steel.	No
170.	Reconstruction plates 3.5, straight St. Steel, holes 5, length 58mm.	No
171.	Reconstruction plate 3.5, straight St. Steel, holes 6, length 70mm.	No

172.	Reconstruction plate 3.5, straight St. Steel, holes 7, length 82mm.	No
173.	Reconstruction plate 3.5, straight St. steel, holes 8, length 94mm.	No
174.	Reconstruction plate 3.5, straight St. Steel, holes 9, length 106mm.	No
175.	Reconstruction plate 3.5, straight St. Steel, holes 10, length 118mm.	No
176.	Reconstruction plate 3.5, straight St. steel, holes12, length 142mm.	No
177.	Reconstruction plate 3.5, straight St. Steel, holes 14, length 166mm.	No
178.	Schamz screws dia 2.5 mm thread length 20mm, length 60mm st.stl/TAN	No
179.	Schamz screws dia 2.5 mm thread length 20mm, length 80mm st.stl/TAN	No
180.	Schamz screws dia 3.0mm thread length 20mm, length 80mm st.stl/TAN	No
181.	Schamz screws dia 3.0 mm thread length 20mm, length 100mm st.stl/TAN	No
182.	Schamz screws dia 4.0 mm thread length 20mm, length 60mm st.stl/TAN	No
183.	Schamz screws dia 4.0 mm thread length 20mm, length 80mm st.stl/TAN	No
184.	Schamz screws dia 5.0 mm thread length 30mm, length 80mm st.stl/TAN	No
185.	Schamz screws dia 5.0 mm thread length 30mm, length 100mm st.stl/TAN	Nos
186.	Schamz screws dia 5.0 mm thread length 40mm, length 100mm st.stl/TAN	No
187.	Schamz screws dia 5.0 mm thread length 40mm, length 125mm st.stl/TAN	No
188.	Drill Bit dia. 2.5mm, length 100/75mm, mini QCK Coupling	No
189.	Drill Bit dia. 3.2mm, length 145/120 3 flute QCK Coupling	No
190.	Drill Bit dia 3.5 length 148/122mm 3 flute QCK Coupling.	No
191.	Distal femoral locked plate, stainless steel, NO holes 6-holes	No
192.	Distal femoral locked plate, stainless steel, NO holes 7-holes	No
193.	Distal femoral locked plate, stainless steel, NO holes 8-holes	No
194.	Distal femoral locked plate, stainless steel, NO holes 9-holes	No
195.	Distal femoral locked plate, stainless steel, NO holes 10-holes	No
196.	Distal femoral locked plate, stainless steel, NO holes 11-holes	No

198. L-butress locked plate 4.5mm/5.0mm left and right, 5-holes No 199. L-butress locked plate 4.5mm/5.0mm left and right, 6-holes No 200. L-butress locked plate 4.5mm/5.0mm left and right, 7-holes No 201. L-butress locked plate 4.5mm/5.0mm left and right, 9-holes No 202. L-butress locked plate 4.5mm/5.0mm Left and right, 9-holes No 203. rght)- 4 holes No No 204. Proximal Tibial locked plate 4.5mm/5.0mm Lateral (left and right)- 6 holes No No 205. rght)- 6 holes No No No 206. Locking screw, dia 5.0mm, self-tapping, length-24mm No No 207. Locking screw, dia 5.0mm, self-tapping, length-23mm No No 208. Locking screw, dia 5.0mm, self-tapping, length-33mm No No 209. Locking screw, dia 5.0mm, self-tapping, length-34mm No No 211. Locking screw, dia 5.0mm, self-tapping, length-34mm No No 213. Locking screw, dia 5.0mm, self-tapping, length-34mm No No 214. <	197.	Distal femoral locked plate, stainless steel, NO holes 12-holes	No
12.5 L-butress locked plate 4.5mm/5.0mm left and right, 7-holes No 2001. L-butress locked plate 4.5mm/5.0mm left and right, 9-holes No 2012. L-butress locked plate 4.5mm/5.0mm left and right, 9-holes No 2023. Proximal Tibial locked plate 4.5mm/5.0mm Lateral (left and right) - 4 holes No 2034. Proximal Tibial locked plate 4.5mm/5.0mm Lateral (left and right) - 6 holes No 2044. Proximal Tibial locked plate 4.5mm/5.0mm Lateral (left and right) - 6 holes No 2055. right) - 8-holes No No 2066. Locking screw, dia 5.0mm, self-tapping, length-24mm No No 2077. Locking screw, dia 5.0mm, self-tapping, length-30mm No No 208. Locking screw, dia 5.0mm, self-tapping, length-32mm No No 210. Locking screw, dia 5.0mm, self-tapping, length-34mm No No 211. Locking screw, dia 5.0mm, self-tapping, length-34mm No No 212. Locking screw, dia 5.0mm, self-tapping, length-44mm No No 213. Locking screw, dia 5.0mm, self-tapping, length-42mm No No 214. Locking screw, dia 5.0mm, self-tapping, length-44	198.	L-butress locked plate 4.5mm/5.0mm left and right, 5-holes	No
201. L-buttess locked plate 4.5mm/5.0mm left and right, 8-holes No 202. L-buttess locked plate 4.5mm/5.0mm left and right, 9-holes No 203. Proximal Tibial locked plate 4.5mm/5.0mm Lateral (left and right, 9-holes No 204. Proximal Tibial locked plate 4.5mm/5.0mm Lateral (left and right) - 6 holes No 205. right) - 6 holes No 206. Locking screw, dia 5.0mm, self-tapping, length-24mm No 207. Locking screw, dia 5.0mm, self-tapping, length-26mm No 208. Locking screw, dia 5.0mm, self-tapping, length-26mm No 209. Locking screw, dia 5.0mm, self-tapping, length-30mm No 211. Locking screw, dia 5.0mm, self-tapping, length-32mm No 212. Locking screw, dia 5.0mm, self-tapping, length-34mm No 213. Locking screw, dia 5.0mm, self-tapping, length-34mm No 214. Locking screw, dia 5.0mm, self-tapping, length-44mm No 215. Locking screw, dia 5.0mm, self-tapping, length-44mm No 216. Locking screw, dia 5.0mm, self-tapping, length-44mm No 217. Locking screw, dia 5.0mm, self-tapping, length-46mm No 218. </td <td>199.</td> <td>L-butress locked plate 4.5mm/5.0mm left and right, 6-holes</td> <td>No</td>	199.	L-butress locked plate 4.5mm/5.0mm left and right, 6-holes	No
201. L-buttess locked plate 4.5mm/5.0mm left and right, 9-holes No 202. L-buttess locked plate 4.5mm/5.0mm Lateral (left and right) - 4 holes No 203. Proximal Tibial locked plate 4.5mm/5.0mm Lateral (left and right) - 6 holes No 204. Proximal Tibial locked plate 4.5mm/5.0mm Lateral (left and right) - 6 holes No 205. right) - 6 holes No 206. Locking screw, dia 5.0mm, self-tapping, length-24mm No 207. Locking screw, dia 5.0mm, self-tapping, length-26mm No 208. Locking screw, dia 5.0mm, self-tapping, length-28mm No 209. Locking screw, dia 5.0mm, self-tapping, length-32mm No 210. Locking screw, dia 5.0mm, self-tapping, length-34mm No 211. Locking screw, dia 5.0mm, self-tapping, length-34mm No 212. Locking screw, dia 5.0mm, self-tapping, length-40mm No 213. Locking screw, dia 5.0mm, self-tapping, length-42mm No 214. Locking screw, dia 5.0mm, self-tapping, length-42mm No 215. Locking screw, dia 5.0mm, self-tapping, length-42mm No 216. Locking screw, dia 5.0mm, self-tapping, length-42mm No	200.	L-butress locked plate 4.5mm/5.0mm left and right, 7-holes	No
202. Proximal Tibial locked plate 4.5mm/5.0mm Lateral (left and right) - 4 holes No 203. Proximal Tibial locked plate 4.5mm/5.0mm Lateral (left and right) - 6 holes No 204. Proximal Tibial locked plate 4.5mm/5.0mm Lateral (left and right) - 6 holes No 205. Proximal Tibial locked plate 4.5mm/5.0mm Lateral (left and right) - 8 holes No 206. Locking screw, dia 5.0mm, self-tapping. length-24mm No 207. Locking screw, dia 5.0mm, self-tapping. length-26mm No 208. Locking screw, dia 5.0mm, self-tapping. length-30mm No 209. Locking screw, dia 5.0mm, self-tapping, length-30mm No 210. Locking screw, dia 5.0mm, self-tapping, length-32mm No 211. Locking screw, dia 5.0mm, self-tapping, length-34mm No 212. Locking screw, dia 5.0mm, self-tapping, length-34mm No 213. Locking screw, dia 5.0mm, self-tapping, length-40mm No 214. Locking screw, dia 5.0mm, self-tapping, length-40mm No 215. Locking screw, dia 5.0mm, self-tapping, length-40mm No 216. Locking screw, dia 5.0mm, self-tapping, length-40mm No 217. Locking screw, dia 5.0mm, self-tapping,	201.	L-butress locked plate 4.5mm/5.0mm left and right, 8-holes	No
203. right) - 4 holes No 204. Proximal Tibial locked plate 4.5mm/5.0mm Lateral (left and right) - 6 holes No 205. Proximal Tibial locked plate 4.5mm/5.0mm Lateral (left and right) - 8 holes No 206. Locking screw, dia 5.0mm, self-tapping, length - 24mm No 207. Locking screw, dia 5.0mm, self-tapping, length - 24mm No 208. Locking screw, dia 5.0mm, self-tapping, length - 26mm No 209. Locking screw, dia 5.0mm, self-tapping, length - 26mm No 2010. Locking screw, dia 5.0mm, self-tapping, length - 26mm No 2021. Locking screw, dia 5.0mm, self-tapping, length - 26mm No 2031. Locking screw, dia 5.0mm, self-tapping, length - 30mm No 2101. Locking screw, dia 5.0mm, self-tapping, length - 30mm No 2111. Locking screw, dia 5.0mm, self-tapping, length - 40mm No 2121. Locking screw, dia 5.0mm, self-tapping, length - 40mm No 2131. Locking screw, dia 5.0mm, self-tapping, length - 40mm No 2141. Locking screw, dia 5.0mm, self-tapping, length - 40mm No 2151. Locking screw, dia 5.0mm, self-tapping, length - 40mm No	202.	L-butress locked plate 4.5mm/5.0mm left and right, 9-holes	No
204. right)- 6 holes No 205. Proximal Tibial locked plate 4.5mm/5.0mm Lateral (left and right)- 8-holes No 206. Locking screw, dia 5.0mm, self-tapping, length- 24mm No 207. Locking screw, dia 5.0mm, self-tapping, length-26mm No 208. Locking screw, dia 5.0mm, self-tapping, length-28mm No 209. Locking screw, dia 5.0mm, self-tapping, length-32mm No 210. Locking screw, dia 5.0mm, self-tapping, length-32mm No 211. Locking screw, dia 5.0mm, self-tapping, length-34mm No 212. Locking screw, dia 5.0mm, self-tapping, length-34mm No 213. Locking screw, dia 5.0mm, self-tapping, length-36mm No 214. Locking screw, dia 5.0mm, self-tapping, length-44mm No 215. Locking screw, dia 5.0mm, self-tapping, length-44mm No 216. Locking screw, dia 5.0mm, self-tapping, length-44mm No 217. Locking screw, dia 5.0mm, self-tapping, length-50mm No 218. Locking screw, dia 5.0mm, self-tapping, length-50mm No 220. Locking screw, dia 5.0mm, self-tapping, length-50mm No 221. Locking screw, dia 5.0mm, self-tapping, length-50mm No 222. Locking screw, dia 5.0mm, self-tapping, length-50mm No <t< td=""><td>203.</td><td>I · · · ·</td><td>No</td></t<>	203.	I · · · ·	No
205.right)- 8-holesNo206.Locking screw, dia 5.0mm, self-tapping, length-24mmNo207.Locking screw, dia 5.0mm, self-tapping, length-26mmNo208.Locking screw, dia 5.0mm, self-tapping, length-28mmNo209.Locking screw, dia 5.0mm, self-tapping, length-30mmNo210.Locking screw, dia 5.0mm, self-tapping, length-32mmNo211.Locking screw, dia 5.0mm, self-tapping, length-32mmNo212.Locking screw, dia 5.0mm, self-tapping, length-34mmNo213.Locking screw, dia 5.0mm, self-tapping, length-36mmNo214.Locking screw, dia 5.0mm, self-tapping, length-40mmNo215.Locking screw, dia 5.0mm, self-tapping, length-41mmNo216.Locking screw, dia 5.0mm, self-tapping, length-44mmNo217.Locking screw, dia 5.0mm, self-tapping, length-46mmNo218.Locking screw, dia 5.0mm, self-tapping, length-46mmNo219.Locking screw, dia 5.0mm, self-tapping, length-50mmNo220.Locking screw, dia 5.0mm, self-tapping, length-50mmNo221.Locking screw, dia 5.0mm, self-tapping, length-60mmNo222.Locking screw, dia 5.0mm, self-tapping, length-60mmNo223.Drill Bit-ss-Quick coupling End, Dia 4.0mmNo224.Drill Bit-ss-Quick coupling End, Dia 5.0mmNo225.95° DCS plates with DCP 6-holes,No226.95° DCS plates with DCP 8-holesNo227.95° DCS plates with DCP 9-holesNo228.	204.	-	No
2007.Locking screw, dia 5.0mm, self-tapping, length-26mmNo2017.Locking screw, dia 5.0mm, self-tapping, length-28mmNo2029.Locking screw, dia 5.0mm, self-tapping, length-32mmNo203.Locking screw, dia 5.0mm, self-tapping, length-32mmNo210.Locking screw, dia 5.0mm, self-tapping, length-32mmNo211.Locking screw, dia 5.0mm, self-tapping, length-34mmNo212.Locking screw, dia 5.0mm, self-tapping, length-36mmNo213.Locking screw, dia 5.0mm, self-tapping, length-36mmNo214.Locking screw, dia 5.0mm, self-tapping, length-40mmNo215.Locking screw, dia 5.0mm, self-tapping, length-42mmNo216.Locking screw, dia 5.0mm, self-tapping, length-44mmNo217.Locking screw, dia 5.0mm, self-tapping, length-44mmNo218.Locking screw, dia 5.0mm, self-tapping, length-46mmNo219.Locking screw, dia 5.0mm, self-tapping, length-50mmNo220.Locking screw, dia 5.0mm, self-tapping, length-50mmNo221.Locking screw, dia 5.0mm, self-tapping, length-60mmNo222.Locking screw, dia 5.0mm, self-tapping, length-65mmNo223.Drill Bit-ss-Quick coupling End, Dia. 5.0mmNo224.Drill Bit-ss-Quick coupling End, Dia. 5.0mmNo225.95° DCS plates with DCP 6-holes,No226.95° DCS plates with DCP 8-holesNo227.95° DCS plates with DCP 8-holesNo227.95° DCS plates with DCP 9-holesNo<	205.	1 · · · · · · · · · · · · · · · · · · ·	No
201. Locking screw, dia 5.0mm, self-tapping, length-28mm No 209. Locking screw, dia 5.0mm, self-tapping, length-30mm No 210. Locking screw, dia 5.0mm, self-tapping, length-32mm No 211. Locking screw, dia 5.0mm, self-tapping, length-32mm No 212. Locking screw, dia 5.0mm, self-tapping, length-34mm No 213. Locking screw, dia 5.0mm, self-tapping, length-36mm No 214. Locking screw, dia 5.0mm, self-tapping, length-42mm No 215. Locking screw, dia 5.0mm, self-tapping, length-42mm No 216. Locking screw, dia 5.0mm, self-tapping, length-44mm No 217. Locking screw, dia 5.0mm, self-tapping, length-44mm No 218. Locking screw, dia 5.0mm, self-tapping, length-46mm No 219. Locking screw, dia 5.0mm, self-tapping, length-50mm No 220. Locking screw, dia 5.0mm, self-tapping, length-50mm No 221. Locking screw, dia 5.0mm, self-tapping, length-60mm No 222. Locking screw, dia 5.0mm, self-tapping, length-60mm No 223. Drill Bit-ss-Quick coupling End, Dia. 4.0mm No 224. Drill Bit-ss-Quick	206.	Locking screw, dia 5.0mm, self-tapping, length- 24mm	No
200.Locking screw, dia 5.0mm, self-tapping, length-30mmNo210.Locking screw, dia 5.0mm, self-tapping, length-32mmNo211.Locking screw, dia 5.0mm, self-tapping, length-34mmNo212.Locking screw, dia 5.0mm, self-tapping, length-36mmNo213.Locking screw, dia 5.0mm, self-tapping, length-38mmNo214.Locking screw, dia 5.0mm, self-tapping, length-40mmNo215.Locking screw, dia 5.0mm, self-tapping, length-40mmNo216.Locking screw, dia 5.0mm, self-tapping, length-42mmNo217.Locking screw, dia 5.0mm, self-tapping, length-44mmNo218.Locking screw, dia 5.0mm, self-tapping, length-48mmNo219.Locking screw, dia 5.0mm, self-tapping, length-50mmNo220.Locking screw, dia 5.0mm, self-tapping, length-50mmNo221.Locking screw, dia 5.0mm, self-tapping, length-50mmNo222.Locking screw, dia 5.0mm, self-tapping, length-60mmNo223.Drill Bit-ss-Quick coupling End, Dia. 4.0mmNo224.Drill Bit-ss-Quick coupling End, Dia. 4.0mmNo225.95° DCS plates with DCP 6-holes,No226.95° DCS plates with DCP 8-holesNo227.95° DCS plates with DCP 9-holesNo227.95° DCS plates with DCP 10-holesNo228.95° DCS plates with DCP 10-holesNo229.Cock plates with DCP 10-holesNo	207.	Locking screw, dia 5.0mm, self-tapping, length-26mm	No
207.In the	208.	Locking screw, dia 5.0mm, self-tapping, length-28mm	No
210.Locking screw, dia 5.0mm, self-tapping, length-34mmNo211.Locking screw, dia 5.0mm, self-tapping, length-36mmNo212.Locking screw, dia 5.0mm, self-tapping, length-36mmNo213.Locking screw, dia 5.0mm, self-tapping, length-38mmNo214.Locking screw, dia 5.0mm, self-tapping, length-40mmNo215.Locking screw, dia 5.0mm, self-tapping, length-42mmNo216.Locking screw, dia 5.0mm, self-tapping, length-44mmNo217.Locking screw, dia 5.0mm, self-tapping, length-46mmNo218.Locking screw, dia 5.0mm, self-tapping, length-48mmNo219.Locking screw, dia 5.0mm, self-tapping, length-50mmNo220.Locking screw, dia 5.0mm, self-tapping, length-50mmNo221.Locking screw, dia 5.0mm, self-tapping, length-60mmNo222.Locking screw, dia 5.0mm, self-tapping, length-60mmNo223.Drill Bit-ss-Quick coupling End, Dia. 4.0mmNo224.Drill Bit-ss-Quick coupling End, Dia. 5.0mmNo225.95° DCS plates with DCP 6-holes,No226.95° DCS plates with DCP 8-holesNo227.95° DCS plates with DCP 9-holesNo227.95° DCS plates with DCP 9-holesNo228.95° DCS plates with DCP 10-holesNo228.95° DCS plates with DCP 10-holesNo	209.	Locking screw, dia 5.0mm, self-tapping, length-30mm	No
211.Interference212.Locking screw, dia 5.0mm, self-tapping, length-36mmNo213.Locking screw, dia 5.0mm, self-tapping, length-38mmNo214.Locking screw, dia 5.0mm, self-tapping, length-40mmNo215.Locking screw, dia 5.0mm, self-tapping, length-42mmNo216.Locking screw, dia 5.0mm, self-tapping, length-44mmNo217.Locking screw, dia 5.0mm, self-tapping, length-44mmNo218.Locking screw, dia 5.0mm, self-tapping, length-46mmNo219.Locking screw, dia 5.0mm, self-tapping, length-50mmNo220.Locking screw, dia 5.0mm, self-tapping, length-55mmNo221.Locking screw, dia 5.0mm, self-tapping, length-60mmNo222.Locking screw, dia 5.0mm, self-tapping, length-60mmNo223.Drill Bit-ss-Quick coupling End, Dia. 4.0mmNo224.Drill Bit-ss-Quick coupling End, Dia. 5.0mmNo225.95° DCS plates with DCP 6-holes,No226.95° DCS plates with DCP 8-holesNo227.95° DCS plates with DCP 9-holesNo228.95° DCS plates with DCP 9-holesNo228.95° DCS plates with DCP 10-holesNo	210.	Locking screw, dia 5.0mm, self-tapping, length-32mm	No
211.11111213.Locking screw, dia 5.0mm, self-tapping, length-38mmNo214.Locking screw, dia 5.0mm, self-tapping, length-40mmNo215.Locking screw, dia 5.0mm, self-tapping, length-42mmNo216.Locking screw, dia 5.0mm, self-tapping, length-44mmNo217.Locking screw, dia 5.0mm, self-tapping, length-44mmNo218.Locking screw, dia 5.0mm, self-tapping, length-48mmNo219.Locking screw, dia 5.0mm, self-tapping, length-50mmNo220.Locking screw, dia 5.0mm, self-tapping, length-55mmNo221.Locking screw, dia 5.0mm, self-tapping, length-65mmNo222.Locking screw, dia 5.0mm, self-tapping, length-65mmNo223.Drill Bit-ss-Quick coupling End, Dia. 4.0mmNo224.Drill Bit-ss-Quick coupling End, Dia. 5.0mmNo225.95° DCS plates with DCP 6-holes,No226.95° DCS plates with DCP 8-holesNo227.95° DCS plates with DCP 9-holesNo228.95° DCS plates with DCP 10-holesNo228.95° DCS plates with DCP 10-holesNo	211.	Locking screw, dia 5.0mm, self-tapping, length-34mm	No
211.1Locking screw, dia 5.0mm, self-tapping, length-40mmNo214.Locking screw, dia 5.0mm, self-tapping, length-42mmNo215.Locking screw, dia 5.0mm, self-tapping, length-44mmNo216.Locking screw, dia 5.0mm, self-tapping, length-44mmNo217.Locking screw, dia 5.0mm, self-tapping, length-46mmNo218.Locking screw, dia 5.0mm, self-tapping, length-48mmNo219.Locking screw, dia 5.0mm, self-tapping, length-50mmNo220.Locking screw, dia 5.0mm, self-tapping, length-55mmNo221.Locking screw, dia 5.0mm, self-tapping, length-60mmNo222.Locking screw, dia 5.0mm, self-tapping, length-65mmNo223.Drill Bit-ss-Quick coupling End, Dia. 4.0mmNo224.Drill Bit-ss-Quick coupling End, Dia. 5.0mmNo225.95° DCS plates with DCP 6-holes,No227.95° DCS plates with DCP 8-holesNo228.95° DCS plates with DCP 10-holesNo228.95° DCS plates with DCP 10-holesNo	212.	Locking screw, dia 5.0mm, self-tapping, length-36mm	No
214.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.	213.	Locking screw, dia 5.0mm, self-tapping, length-38mm	No
216.Locking screw, dia 5.0mm, self-tapping, length-44mmNo216.Locking screw, dia 5.0mm, self-tapping, length-44mmNo217.Locking screw, dia 5.0mm, self-tapping, length-46mmNo218.Locking screw, dia 5.0mm, self-tapping, length-48mmNo219.Locking screw, dia 5.0mm, self-tapping, length-50mmNo220.Locking screw, dia 5.0mm, self-tapping, length-55mmNo221.Locking screw, dia 5.0mm, self-tapping, length-60mmNo222.Locking screw, dia 5.0mm, self-tapping, length-65mmNo223.Drill Bit-ss-Quick coupling End, Dia. 4.0mmNo224.Drill Bit-ss-Quick coupling End, Dia. 5.0mmNo225.95° DCS plates with DCP 6-holes,No226.95° DCS plates with DCP 8-holesNo227.95° DCS plates with DCP 9-holesNo228.95° DCS plates with DCP 10-holesNo	214.	Locking screw, dia 5.0mm, self-tapping, length-40mm	No
217.Locking screw, dia 5.0mm, self-tapping, length-46mmNo217.Locking screw, dia 5.0mm, self-tapping, length-48mmNo218.Locking screw, dia 5.0mm, self-tapping, length-50mmNo219.Locking screw, dia 5.0mm, self-tapping, length-55mmNo220.Locking screw, dia 5.0mm, self-tapping, length-55mmNo221.Locking screw, dia 5.0mm, self-tapping, length-60mmNo222.Locking screw, dia 5.0mm, self-tapping, length-65mmNo223.Drill Bit-ss-Quick coupling End, Dia. 4.0mmNo224.Drill Bit-ss-Quick coupling End, Dia. 5.0mmNo225.95° DCS plates with DCP 6-holes,No226.95° DCS plates with DCP 8-holesNo227.95° DCS plates with DCP 9-holesNo228.95° DCS plates with DCP 10-holesNo	215.	Locking screw, dia 5.0mm, self-tapping, length-42mm	No
211.InstructionInstruction218.Locking screw, dia 5.0mm, self-tapping, length-48mmNo219.Locking screw, dia 5.0mm, self-tapping, length-50mmNo220.Locking screw, dia 5.0mm, self-tapping, length-55mmNo221.Locking screw, dia 5.0mm, self-tapping, length-60mmNo222.Locking screw, dia 5.0mm, self-tapping, length-65mmNo223.Drill Bit-ss-Quick coupling End, Dia. 4.0mmNo224.Drill Bit-ss-Quick coupling End, Dia. 5.0mmNo225.95° DCS plates with DCP 6-holes,No226.95° DCS plates with DCP 8-holesNo227.95° DCS plates with DCP 9-holesNo228.95° DCS plates with DCP 10-holesNo	216.	Locking screw, dia 5.0mm, self-tapping, length-44mm	No
210.Locking screw, dia 5.0mm, self-tapping, length-50mmNo220.Locking screw, dia 5.0mm, self-tapping, length-55mmNo221.Locking screw, dia 5.0mm, self-tapping, length-60mmNo222.Locking screw, dia 5.0mm, self-tapping, length-65mmNo223.Drill Bit-ss-Quick coupling End, Dia. 4.0mmNo224.Drill Bit-ss-Quick coupling End, Dia. 5.0mmNo225.95° DCS plates with DCP 6-holes,No226.95° DCS plates with DCP 8-holesNo227.95° DCS plates with DCP 9-holesNo228.95° DCS plates with DCP 10-holesNo	217.	Locking screw, dia 5.0mm, self-tapping, length-46mm	No
210.Image of the analysis of the open of	218.	Locking screw, dia 5.0mm, self-tapping, length-48mm	No
220.121.Locking screw, dia 5.0mm, self-tapping, length-60mmNo221.Locking screw, dia 5.0mm, self-tapping, length-65mmNo222.Locking screw, dia 5.0mm, self-tapping, length-65mmNo223.Drill Bit-ss-Quick coupling End, Dia. 4.0mmNo224.Drill Bit-ss-Quick coupling End, Dia. 5.0mmNo225.95° DCS plates with DCP 6-holes,No226.95° DCS plates with DCP 8-holesNo227.95° DCS plates with DCP 9-holesNo228.95° DCS plates with DCP 10-holesNo	219.	Locking screw, dia 5.0mm, self-tapping, length-50mm	No
221.Image: Constraint of the second seco	220.	Locking screw, dia 5.0mm, self-tapping, length-55mm	No
222.Drill Bit-ss-Quick coupling End, Dia. 4.0mmNo223.Drill Bit-ss-Quick coupling End, Dia. 5.0mmNo224.Drill Bit-ss-Quick coupling End, Dia. 5.0mmNo225.95° DCS plates with DCP 6-holes,No226.95° DCS plates with DCP 8-holesNo227.95° DCS plates with DCP 9-holesNo228.95° DCS plates with DCP 10-holesNo	221.	Locking screw, dia 5.0mm, self-tapping, length-60mm	No
223.Drill Bit-ss-Quick coupling End, Dia. 5.0mmNo224.Drill Bit-ss-Quick coupling End, Dia. 5.0mmNo225.95° DCS plates with DCP 6-holes,No226.95° DCS plates with DCP 8-holesNo227.95° DCS plates with DCP 9-holesNo228.95° DCS plates with DCP 10-holesNo	222.	Locking screw, dia 5.0mm, self-tapping, length-65mm	No
221.95° DCS plates with DCP 6-holes,No225.95° DCS plates with DCP 8-holesNo226.95° DCS plates with DCP 8-holesNo227.95° DCS plates with DCP 9-holesNo228.95° DCS plates with DCP 10-holesNo	223.	Drill Bit-ss-Quick coupling End, Dia. 4.0mm	No
225. 95° DCS plates with DCP 8-holes No 226. 95° DCS plates with DCP 9-holes No 227. 95° DCS plates with DCP 9-holes No 228. 95° DCS plates with DCP 10-holes No	224.	Drill Bit-ss-Quick coupling End, Dia. 5.0mm	No
220. 220. 227. 95° DCS plates with DCP 9-holes 228. 95° DCS plates with DCP 10-holes No	225.	95° DCS plates with DCP 6-holes,	No
221. 221. 228. 95° DCS plates with DCP 10-holes No	226.	95° DCS plates with DCP 8-holes	No
220. CS DCS slates with DCD 12, helps	227.	95° DCS plates with DCP 9-holes	No
229.95° DCS plates with DCP 12- holesNo	228.	95° DCS plates with DCP 10-holes	No
	229.	95° DCS plates with DCP 12- holes	No

230.	95° DCS plates with DCP 14-holes	No
231.	95° DCS plates with DCP 16-holes	No
232.	DHS plates with DCP 135°; 5-holes	No
233.	DHS plates with DCP 135°; 6-holes	No
234.	DHS plates with DCP 135°; 7-holes	No
235.	DHS plates with DCP 135°; 8-holes	No
236.	DHS plates with DCP 135°; 9-holes	No
237.	DHS plates with DCP 135°; 10-holes	No
238.	DHS plates with DCP 135°; 12-holes	No
239.	DHS plates with DCP 135°; 14-holes	No
240.	DHS plates with DCP 135°, 16-holes	No
241.	Standard Lag screw, 12.5mm Dia (with Compression screw)- 55mm	No
242.	Standard Lag screw, 12.5mm Dia (with Compression screw)- 60mm	No
243.	Standard Lag screw, 12.5mm Dia (with Compression screw)- 65mm	No
244.	Standard Lag screw, 12.5mm Dia (with Compression screw)- 70mm	No
245.	Standard Lag screw, 12.5mm Dia (with Compression screw)- 80mm	No
246.	Standard Lag screw, 12.5mm Dia (with Compression screw)- 85mm	No
247.	Standard Lag screw, 12.5mm Dia (with Compression screw)- 90mm	No
248.	Standard Lag screw, 12.5mm Dia (with Compression screw)- 95mm	No
249.	Standard Lag screw, 12.5mm Dia (with Compression screw)- 100mm	No
250.	Standard Lag screw, 12.5mm Dia (with Compression screw)- 105mm	No
251.	Standard Lag screw, 12.5mm Dia (with Compression screw)- 110mm	No
252.	Standard Lag screw, 12.5mm Dia (with Compression screw)- 120mm	No
253.	Standard Lag screw, 12.5mm Dia (with Compression screw)- 125mm	No
254.	95° Condylar Plates, with DCP 5-holes	No
255.	95° Condylar Plates, with DCP 7-holes	No
256.	95° Condylar Plates, with DCP 9-holes	No

	95° Condylar Plates, with DCP 12-holes	No
258.	95° Condylar Plates, with DCP 14-holes	No
259.	Austin Moore Hip Prosthesis-Excel SS (standard), Sterile Dia. 37mm	No
260.	Austin Moore Hip Prosthesis-Excel SS (standard), Sterile Dia.38mm	No
261.	Austin Moore Hip Prosthesis-Excel SS (standard), Sterile Dia.39mm	No
262.	Austin Moore Hip Prosthesis-Excel SS (standard), Sterile Dia.40mm	No
263.	Austin Moore Hip Prosthesis-Excel SS (standard), Sterile Dia.41mm	No
264.	Austin Moore Hip Prosthesis-Excel SS (standard), Sterile Dia.42mm	No
265.	Austin Moore Hip Prosthesis-Excel SS (standard), Sterile Dia.43mm	No
266.	Austin Moore Hip Prosthesis-Excel SS (standard), Sterile Dia.44mm	No
267.	Austin Moore Hip Prosthesis-Excel SS (standard), Sterile Dia.45mm	No
268.	Austin Moore Hip Prosthesis-Excel SS (standard), Sterile Dia.46mm	No
269.	Austin Moore Hip Prosthesis-Excel SS (standard), Sterile Dia.47mm	No
270.	Austin Moore Hip Prosthesis-Excel SS (standard), Sterile Dia.48mm	No
271.	Austin Moore Hip Prosthesis-Excel SS (standard), Sterile Dia.49mm	No
272.	Austin Moore Hip Prosthesis-Excel SS (standard), Sterile Dia.50mm	No
273.	Austin Moore Hip Prosthesis-Excel SS (standard), Sterile Dia.51mm	No
274.	Austin Moore Hip Prosthesis-Excel SS (standard), Sterile Dia.52mm	No
275.	Austin Moore Hip Prosthesis-Excel SS (standard), Sterile Dia.53mm	No
276.	Austin Moore Hip Prosthesis-Excel SS (standard), Sterile Dia.54mm	No
277.	Austin Moore Hip Prosthesis-Excel SS (standard), Sterile Dia.55mm	No
278.	Austin Moore Hip Prosthesis-Excel SS (standard), Sterile Dia.56mm	No

279.	Bipolar Austin Moore Hip Prosthesis-Excel SS (standard), Sterile Dia.37mm	No
280.	Bipolar Austin Moore Hip Prosthesis-Excel SS (standard), Sterile Dia.38mm	No
281.	Bipolar Austin Moore Hip Prosthesis-Excel SS (standard), Sterile Dia.39mm	No
282.	Bipolar Austin Moore Hip Prosthesis-Excel SS (standard), Sterile Dia.40mm	No
283.	Bipolar Austin Moore Hip Prosthesis-Excel SS (standard), Sterile Dia.41mm	No
284.	Bipolar Austin Moore Hip Prosthesis-Excel SS (standard), Sterile Dia.42mm	No
285.	Bipolar Austin Moore Hip Prosthesis-Excel SS (standard), Sterile Dia.43mm	No
286.	Bipolar Austin Moore Hip Prosthesis-Excel SS (standard), Sterile Dia.44mm	No
287.	Bipolar Austin Moore Hip Prosthesis-Excel SS (standard), Sterile Dia.45mm	No
288.	Bipolar Austin Moore Hip Prosthesis-Excel SS (standard), Sterile Dia.46mm	No
289.	Bipolar Austin Moore Hip Prosthesis-Excel SS (standard), Sterile Dia. 47mm	No
290.	Bipolar Austin Moore Hip Prosthesis-Excel SS (standard), Sterile Dia. 48mm	No
291.	Bipolar Austin Moore Hip Prosthesis-Excel SS (standard), Sterile Dia.49mm	No
292.	Bipolar Austin Moore Hip Prosthesis-Excel SS (standard), Sterile Dia.50mm	No
293.	Bipolar Austin Moore Hip Prosthesis-Excel SS (standard), Sterile Dia.51mm	No
294.	Bipolar Austin Moore Hip Prosthesis-Excel SS (standard), Sterile Dia.52mm	No
295.	Bipolar Austin Moore Hip Prosthesis-Excel SS (standard), Sterile Dia.53mm	No
296.	Bipolar Austin Moore Hip Prosthesis-Excel SS (standard), Sterile Dia.54mm	No
297.	Bipolar Austin Moore Hip Prosthesis-Excel SS (standard), Sterile Dia. 55mm.	No
298.	Total Knee Replacement Implants (St. Leger Neo), Cemented	Set
299.	Total Knee Replacement Implants (Zimmer System), Cemented	Set
300.	Total Hip Replacement Implants (Troy Hip), Cemented	Set
301.	Total Hip Replacement Implants (Troy Hip), Non Cemented	Set

302.	Distal Humerus locked plate, 2.5/3.5mm dorsolateral 3-holes	No
303.	Distal Humerus locked plate, 2.5/3.5mm dorsolateral 5-holes	No
304.	Distal Humerus locked plate, 2.5/3.5mm dorsolateral 7-holes	No
305.	Distal Humerus locked plate, 2.5/3.5mm dorsolateral 9-holes	No
306.	Distal Humerus locked plate, 2.5/3.5mm dorsolateral 14-holes	No
307.	Distal Humerus medial locked plate, 2.5/3.5mm - 3 holes	No
308.	Distal Humerus medial locked plate, 2.5/3.5mm-5-holes	No
309.	Distal Humerus medial locked plate, 2.5/3.5mm-7 holes	No
310.	Distal Humerus medial locked plate, 2.5/3.5mm-9 holes	No
311.	Distal Humerus medial locked plate, 2.5/3.5mm-14 holes	No
312.	Proximal Humerus locked plate, 2.5/3.5mm- 5 holes	No
313.	Proximal Humerus locked plate, 2.5/3.5mm- 6 holes	No
314.	Proximal Humerus locked plate, 2.5/3.5mm- 7 holes	No
315.	Proximal Humerus locked plate, 2.5/3.5mm- 8 holes	No
316.	Distal Radius T/Oblique locked 2.5/3,5mm locked plates 3-holes	No
317.	Distal Radius T/Oblique locked 2.5/3,5mm locked plates 4-holes	No
318.	Distal Radius T/Oblique locked 2.5/3,5mm locked plates 5-holes	No
319.	Distal Radius T/Oblique locked 2.5/3,5mm locked plates 6-holes	No
320.	Distal Radius T/Oblique locked 2.5/3,5mm locked plates 7-holes	No
321.	Clavicular hook lock plate 3.5mm 4-holes, 12mm depth	No
322.	Clavicular hook lock plate 3.5mm 5-holes, 12mm depth	No
323.	Clavicular hook lock plate 3.5mm 6-holes, 12mm depth	No
324.	Clavicular hook lock plate 3.5mm 7-holes, 12mm depth	No
325.	Clavicular hook lock plate 3.5mm 4-holes, 15mm depth	No
326.	Clavicular hook lock plate 3.5mm 5-holes, 15mm depth	No
327.	Clavicular hook lock plate 3.5mm 6-holes, 15mm depth	No
328.	Clavicular hook lock plate 3.5mm 7-holes, 15mm depth	No
329.	Locked screws 3.5mm-self tapping ss 10mm	No
330.	Locked screws 3.5mm-self tapping ss 12mm	No
331.	Locked screws 3.5mm-self tapping ss 14mm	No
332.	Locked screws 3.5mm-self tapping ss 16m	No
333.	Locked screws 3.5mm-self tapping ss 18mm	No
334.	Locked screws 3.5mm-self tapping ss 20mm	No
335.	Locked screws 3.5mm-self tapping ss 22mm	No
336.	Locked screws 3.5mm-self tapping ss 24mm	No

337.	Locked screws 3.5mm-self tapping ss 26mm	No
338.	Locked screws 3.5mm-self tapping ss 28mm	No
339.	Locked screws 3.5mm-self tapping ss 30mm	No
340.	Locked screws 3.5mm-self tapping ss 32mm	No
341.	Locked screws 3.5mm-self tapping ss 34mm	No
342.	Locked screws 3.5mm-self tapping ss 36m	No
343.	Locked screws 3.5mm-self tapping ss 38mm	No
344.	Locked screws 3.5mm-self tapping ss 40mm	No
345.	Locked screws 3.5mm-self tapping ss 42mm	No
346.	Locked screws 3.5mm-self tapping ss 44mm	No
347.	Locked screws 3.5mm-self tapping ss 46mm	No
348.	Locked screws 3.5mm-self tapping ss 48mm	No
349.	Locked screws 3.5mm-self tapping ss 50mm	No
350.	External Fixators (Large Clamps)	No
351.	External Fixators (Small Clamps)	No
352.	External Fixators (Large Rods)	No
353.	External Fixators (Small Rods)	No
354.	External Fixators (Large Connectors)	No
355.	External Fixators (Small Connectors)	No
		· · · · · · · · · · · · · · · · · · ·